

International Institute for Carbon-Neutral Energy Research



CO₂ Storage Revised Roadmap

June 2017



KYUSHU UNIVERSITY



wpi

World Premier International
Research Center Initiative




ILLINOIS

UNIVERSITY OF ILLINOIS AT URBANA-CHAMPAIGN

TM

Division Objective

- **Accurately predict CO₂ fate for safe and enhanced CO₂ storage**
 - Modeling CO₂ behavior in a wide range of scales
- **Continuously identify CO₂ behavior for safe CO₂ storage**
 - Monitoring CO₂ behavior at the field-scale
- **Explore innovative CCS concepts suitable for geological formations typical of Japan (e.g. heterogeneous formation)**




Project 1

Molecular-scale CO₂ investigation (nm- μ m)

Efforts:

- Evaluate influence of slip flow
- Model CO₂ reactions




e.g. Jia et al. accepted, Sci. Rep.

Navier-Stokes with “slip flow”
Molecular dynamics

Project 2

Pore-scale CO₂ investigation (μ m-cm)

- Model CO₂ behavior to increase storage capacity and security by enhanced trapping
- Coupled hydrological and geomechanical modeling




Jiang and Tsuji 2015 WRR

Navier-Stokes
(project 1 in FY2015)

Project 3

Field-scale CO₂ investigation (m-km)

- Construct geologic model with high resolution
- Develop effective monitoring
- Quantitative monitoring (CO₂ saturation)




Ikeda and Tsuji 2015 JGGC

Darcy flow
Geophysical monitoring
(project 2 in FY2015)

Project 4: Linkage of multi-scale phenomena
Try to identify the important mechanisms for upscaling

Division Projects, Objectives, and Research Efforts

Projects	Objectives	Efforts	Researchers
Project 1 Molecular-scale CO ₂ investigation (nm- μ m)	Reveal CO ₂ interactions and reactions in order to enhance CO ₂ trapping	<ul style="list-style-type: none"> - Reveal influence of nano-scale properties (e.g. slip flow) on CO₂ behavior - Model CO₂ reactions 	Singh, Tsuji Singh, Jia, Tsuji
Project 2 Pore-scale CO ₂ investigation (μ m-cm)	Reveal CO ₂ trapping mechanisms in order to predict CO ₂ fate and enhance CO ₂ trapping	<ul style="list-style-type: none"> - Understand/model injected CO₂ behavior (residual, solubility, mineral trapping) - Increase storage capacity and security by enhanced trapping - Coupled hydrological and geomechanical modeling for induced seismicity prediction 	Christensen, Kitamura, Tsuji, Jiang, Valocchi, Singh Christensen, Kitamura, Tsuji, Jiang, Valocchi, Singh Tsuji, Kitamura, Jiang, Ikeda
Project 3 Field-scale CO ₂ investigation (m-km)	Reveal field-scale heterogeneous geological properties and CO ₂ behavior	<ul style="list-style-type: none"> - Field-scale reservoir characterization (Identify heterogeneity) - Develop effective monitoring system - Quantitative monitoring (prediction of CO₂ saturation and reactions) 	Tsuji, Ikeda Tsuji, Ikeda Kitamura, Tsuji, Ikeda
Project 4 Linkage of multi-scale phenomena	Investigate scale dependence in order to include smaller-scale phenomena into larger-scale CO ₂ behaviors	<ul style="list-style-type: none"> - Identify important mechanisms in each scale - Upscale for accurate field-scale predictions 	All member



Project 4 “Linkage of multi-scale phenomena” → Gray arrows

	Ultimate targets	Current Benchmarks	Technology/ Application
Project 1 Molecular-scale CO ₂ investigation (nm- μ m)	<ul style="list-style-type: none"> Model reaction and interaction of CO₂ 	<ul style="list-style-type: none"> Molecular-scale investigation is still new in earth science. Multiphase flow at nano-scale has not been well revealed. 	<ul style="list-style-type: none"> Contribute to Project 2 CO₂ mineralization modeling
Project 2 Pore-scale CO ₂ investigation (μ m-cm)	<ul style="list-style-type: none"> Develop predictive framework for accurate reservoir characterization (pre-injection) and long-term CO₂ fate (post-injection) Increase storage capacity by >20% and security by enhanced residual, solubility and mineral trapping 	<ul style="list-style-type: none"> Current pore-scale models cannot capture dynamic nature of CO₂ migration nor do they embody interconnected nature of pore system and impact on CO₂ migration. Residual CO₂ trapping is <30% in Nagaoka CCS project. CO₂ trapping has not been controlled in CCS. 	<ul style="list-style-type: none"> CO₂ migration model for CO₂ storage and monitoring in CCS
Project 3 Field-scale CO ₂ investigation (m-km)	<ul style="list-style-type: none"> Establish reliable monitoring system to investigate field-scale CO₂ behavior and saturation ➤ Continuous monitoring ➤ Quantitative monitoring ➤ Cost-effective monitoring 	<ul style="list-style-type: none"> Injected CO₂ can be clearly monitored by time-lapse seismic survey. But accuracy (or resolution) of monitoring is not enough to detect small amount of injected CO₂. Estimation of CO₂ saturation from monitoring data has not been well succeeded. Current monitoring cost (time-lapse seismic) is over US\$ several million. 	<ul style="list-style-type: none"> CO₂ migration model for CO₂ storage and monitoring in CCS
Project 4 Linkage of multi-scale phenomena	<ul style="list-style-type: none"> Include influence of smaller-scale properties upon field-scale CO₂ behavior 	<ul style="list-style-type: none"> Current field-scale predictions do not capture CO₂ migration because pore-scale phenomena not accurately modeled in large-scale simulations. Up-scaling is challenging topic and has not been well solved. 	<ul style="list-style-type: none"> CO₂ migration model for CO₂ storage and monitoring in CCS

Role & Contribution through Technology

- Role of this division toward CNS is to create
 1. digital rock CO₂ model coupled with monitoring technology to find prospective CO₂ storage sites, predict CO₂ migration in geological reservoirs and help conduct cost effective CO₂ monitoring, contributing to providing **low carbon electricity** through CCS deployment
 2. CO₂ mineralization model to enhance CO₂ trapping in geological reservoirs, contributing increase of reliability of CCS

