

No.	Description
36	Tsutsumi, Y., Fujigaya, T. and Nakashima, N. (2014) Polymer synthesis inside a nanospace of a surfactant–micelle on carbon nanotubes: creation of highly-stable individual nanotubes/ultrathin cross-linked polymer hybrids, RSC Advances, 4 (12), 6318-6323. DOI: 10.1039/C3RA46841K
35	Park, E., Taniguchi, S., Daio, T., Chou, J.-T. and Sasaki, K. (2014) Influence of cathode polarization on the chromium deposition near the cathode/electrolyte interface of SOFC, International Journal of Hydrogen Energy, 39 (3), 1463-1475. DOI: 10.1016/j.ijhydene.2013.11.030
34	Kobayashi, Y., Tomida, K., Tsukuda, H., Shiratori, Y., Taniguchi, S., Sasaki, K. (2014) Durability of a Segmented-in-Series Tubular SOFC with a (Ce, Sm)O <sub>2</sub> Cathode Interlayer: Influence of Operating Conditions, Journal of the Electrochemical Society, 161 (3), F214-F225. DOI: 10.1149/2.027403jes
33	Takazono, Y., Shimizu, A., Nakajima, H. and Kitahara, T. (2013) Development of a PEFC with Serpentine Hybrid Pattern Gas Channels (5th Report, Electrochemical Impedance Spectroscopy Analysis of the Internal Resistances), Transactions of the Japan Society of Mechanical Engineers Series B, 79 (808), 2774-2785. DOI:
32	Lyth, S.M., Shao, H., Liu, J., Sasaki, K. and Akiba, E. (2014) Hydrogen adsorption on graphene foam synthesized by combustion of sodium ethoxide, International Journal of Hydrogen Energy, 39 (1), 376-380. DOI: 10.1016/j.ijhydene.2013.10.044
31	Nishihara, M., Christiani, L., Staykov, A. and Sasaki, K. (2013) Experimental and theoretical study of charge-transfer complex hybrid polyimide membranes, Journal of Polymer Science, Part B: Polymer Physics, 52 (4), 293-298. DOI: 10.1002/polb.23411
30	Lee, S.-K. and Ito, K. (2014) Cross-Sectional Visualization and Analysis of Droplet Behavior in Gas Flow Channel in PEFC, Journal of The Electrochemical Society, 161 (1), F58-F66. DOI: 10.1149/2.055401jes
29	Kitahara, T., Nakajima, H., Inamoto, M. and Shinto, K. (2014) Triple microporous layer coated gas diffusion layer for performance enhancement of polymer electrolyte fuel cells under both low and high humidity conditions, Journal of Power Sources, 248, 1256-1263. DOI: 10.1016/j.jpowsour.2013.10.066
28	Koyama, M., Ishimoto, T., Hara, S., Ogura, T. Kohno, H., Tada, T., Umeno, Y., Matsumura, S. and Shikazono, N. (2013) Multi-Scale and Multi-Physics Approach for Designing Materials and Microstructure of Solid Oxide Fuel Cell Electrodes, Nenryodenchi (Fuel Cells), 13 (2), 77-82.
27	Fujii, M., Nakashima, N., Niidome, T. and Niidome, Y. (2014) Imaging Mass Spectrometry of Intravenously Injected Gold Nanorods in Mice, Chemistry Letters, 43 (1), 131-133. DOI: 10.1246/cl.130864
26	Hirana, Y., Juhasz, G., Miyauchi, Y., Mouri, S., Matsuda, K. and Nakashima, N. (2013) Empirical Prediction of Electronic Potentials of Single-Walled Carbon Nanotubes With a Specific Chirality (n,m), Scientific Reports, 3, 2529-. DOI: 10.1038/srep02959
25	Ogura, T., Ishimoto, T. and Koyama, M. (2014) Density Functional Theory Study of Sulfur

	Poisoning on Nickel Anode in Solid Oxide Fuel Cells: Effects of Surface and Subsurface Sulfur Atoms, <i>JOURNAL OF CHEMICAL ENGINEERING OF JAPAN</i> , 53 (43), 11488-11492. DOI: 10.1252/jcej.12we249
24	Shiratori, Y., Ogura, T., Nakajima, H., Sakamoto, M., Takahashi, Y., Wakita, Y., Kitaoka, T. and Sasaki, K. (2013) Study on paper-structured catalyst for direct internal reforming SOFC fueled by the mixture of CH <sub>4</sub> and CO <sub>2</sub> , <i>International Journal of Hydrogen Energy</i> , 38 (25), 10542-10551. DOI: 10.1016/j.ijhydene.2013.06.046
23	Shiratori, Y., Quang-Tuyen, T., Umemura, Y., Kitaoka, T. and Sasaki, K. (2013) Paper-structured catalyst for the steam reforming of biodiesel fuel, <i>International Journal of Hydrogen Energy</i> , 38 (26), 11278-11287. DOI: 10.1016/j.ijhydene.2013.06.080
22	Shimoda, K., Fujigaya, T., Nakashima, N. and Niidome, Y. (2013) Spontaneous Temperature Control Using Reversible Spectroscopic Responses of PNIPAM-coated Gold Nanorods, <i>Chemistry Letters</i> , 42 (10), 1247-1249. DOI: 10.1246/cl.130457
21	Shiratori, Y., Quang-Tuyen, T. and Sasaki, K. (2013) Performance enhancement of biodiesel fueled SOFC using paper-structured catalyst, <i>International Journal of Hydrogen Energy</i> , 38 (23), 9856-9866. DOI: 10.1016/j.ijhydene.2013.05.128
20	Kuhn, M., Kim, J.J., Bishop, S.R. and Tuller, H.L. (2013) Oxygen nonstoichiometry and defect chemistry of perovskite-structured Ba <sub>x</sub> Sr <sub>1-x</sub> Ti <sub>1-y</sub> FeyO <sub>3-y/2+δ</sub> solid solutions, <i>Chemistry of Materials</i> , 25 (15), 2970-2975. DOI: 10.1021/cm400546z
19	Yoo, J., Fujigaya, T. and Nakashima, N. (2013) Molecular recognition at the nanoscale interface within carbon nanotube bundles, <i>Nanoscale</i> , 5 (16), 7419-7424. DOI: 10.1039/c3nr01828h
18	Bishop, S.R., Tuller, H.L., Kuhn, M., Ciampi, G., Higgins, W. and Shah, K.S. (2013) Kinetics of Schottky defect formation and annihilation in single crystal TlBr, <i>Physical Chemistry Chemical Physics</i> , 15 (28), 11926-11930. DOI: 10.1039/c3cp51043c
17	Schlupp, M.V.F., Kurlov, A., Hwang, J., Yáng, Z., Döbeli, M., Martynczuk, J., Prestat, M., Son, J.-W. and Gauckler, L.J. (2013) Gadolinia doped ceria thin films prepared by aerosol assisted chemical vapor deposition and applications in intermediate-temperature solid oxide fuel cells, <i>Fuel Cells</i> , 13 (5), 658-665. DOI: 10.1002/fuce.201300029
16	Hamasaki, Y., Nakashima, N. and Niidome, Y. (2013) Electrochemical Oxidation of Silver Shells on Gold Nanorods in Potassium Chloride and Phosphate Buffer Solutions, <i>Chemistry Letters</i> , 42 (9), 1093-1095. DOI: 10.1246/cl.130350
15	Bishop, S.R. (2013) Chemical expansion of solid oxide fuel cell materials: A brief overview, <i>Acta Mechanica Sinica</i> , 29 (3), 312-317. DOI: 10.1007/s10409-013-0045-y
14	Berber, M. R., Fujigaya, T., Sasaki, K. and Nakashima, N. (2013) Remarkably Durable High Temperature Polymer Electrolyte Fuel Cell Based on Poly(vinylphosphonic acid)-doped Polybenzimidazole, <i>Scientific Reports</i> , 3, 1764. DOI: 10.1038/srep01764
13	Fukumaru, T., Fujigaya, T. and Nakashima, N. (2013) Mechanical reinforcement of polybenzoxazole by carbon nanotubes through noncovalent functionalization, <i>Macromolecules</i> , 46

	(10), 4034-4040. DOI: 10.1021/ma4004117
12	Fujigaya, T., Okamoto, M., Matsumoto, K., Kaneko, K. and Nakashima, N. (2013) Interfacial engineering of platinum catalysts for fuel cells: Methanol oxidation is dramatically improved by polymer coating on a platinum catalyst, <i>ChemCatChem</i> , 5 (7), 1701-1704. DOI: 10.1002/cctc.201300157
11	Kuhn, M., Bishop, S.R., Rupp, J.L.M. and Tuller, H.L. (2013) Structural characterization and oxygen nonstoichiometry of ceria-zirconia ( $\text{Ce}_{1-x}\text{Zr}_x\text{O}_{2-d}$ ) solid solutions, <i>Acta Materialia</i> , 61 (11), 4277-4288. DOI: 10.1016/j.actamat.2013.04.001
10	Nishihara, M., Imato, K., Irie, A., Kanehara, T., Kano, A., Maruyama, A., Takahara, A. and Otsuka, H. (2013) Reversibly crosslinked polymeric micelles formed by autonomously exchangeable dynamic covalent bonds, <i>Chemistry Letters</i> , 42 (4), 377-379. DOI: 10.1246/cl.121289
9	Tachikawa, Y., Noda, Z., Hayashi, A., Shiratori, Y. and Sasaki, K. (2013) Numerical analysis for evaluating the effect of hydrophilic anode support for water management in polymer electrolyte fuel cells, <i>Theoretical and Applied Mechanics Japan</i> , 61, 161-172. DOI: ISSN: 13480693
8	Kuhn, M., Bishop, S.R., Ciampi, G., Tuller, H.L., Higgins, W. and Shah, K.S. (2013) Ionic conduction in TlBr - Impact of Te acceptor dopant exsolution, <i>Solid State Ionics</i> , 241, 30-35. DOI: 10.1016/j.ssi.2013.03.030
7	Kato, Y., Niidome, Y. and Nakashima, N (2013) Spectroscopic Analysis of Two Distinct Equilibrium States for the Exchange Reaction of Sodium Cholate and Oligo-DNA on Single-Walled Carbon Nanotubes, <i>ChemPhysChem</i> , 14 (8), 1652-1655. DOI: 10.1002/cphc.201300020
6	Zhao, X., Hayashi, A., Noda, Z., Kimijima, K., Yagi, I. and Sasaki, K. (2013) Evaluation of change in nanostructure through the heat treatment of carbon materials and their durability for the start/stop operation of polymer electrolyte fuel cells, <i>Electrochimica Acta</i> , 97, 31-41. DOI: 10.1016/j.electacta.2013.02.062
5	Bishop, S.R., Marrocchelli, D., Fang, W., Amezawa, K., Yashiro, K. and Watson, G.W. (2013) Reducing the chemical expansion coefficient in ceria by addition of zirconia, <i>Energy and Environmental Science</i> , 6, 1142-1146. DOI: 10.1039/c3ee23917a
4	Kitahara, T., Nakajima, H., Inamoto, M. and Morishita, M. (2013) Novel hydrophilic and hydrophobic double microporous layer coated gas diffusion layer to enhance performance of polymer electrolyte fuel cells under both low and high humidity, <i>Journal of Power Sources</i> , 234, 129-138. DOI: 10.1016/j.jpowsour.2013.01.150
3	Fujigaya, T. and Nakashima, N. (2013) Fuel Cell Electrocatalyst Using Polybenzimidazole-Modified Carbon Nanotubes As Support Materials, <i>Advanced Materials</i> , 25 (12), 1666-1681. DOI: 10.1002/adma.201204461
2	Tanasescu, S., Yang, Z., Martynczuk, J., Varazashvili, V., Maxim, F., Teodorescu, F., Botea, A., Totir, N. and Gauckler, L.J. (2013) Effects of A-site composition and oxygen nonstoichiometry on the thermodynamic stability of compounds in the Ba-Sr-Co-Fe-O system, <i>Journal of Solid State Chemistry</i> , 200, 254-362. DOI: 10.1016/j.jssc.2013.01.030

Division: Electrochemical Energy Conversion

Year: 2013

1	Uchiyama, N. and Nakashima, N. (2013) Carbon nanotubes/polymer composite honeycomb structure film, <i>Kobunshi Ronbunshu</i> , 70 (2), 55-62.
---	---