

No.	Description
55	Tsutsumi, Y., Fujigaya, T. and Nakashima, N. (2016) Requirement for the Formation of Cross-linked Polymer on Single-walled Carbon Nanotubes Using Vinyl Monomers, <i>Chemistry Letters</i> , 45 (3), 274-276. DOI: 10.1246/cl.151086
54	Yang, Z., Fujigaya, T. and Nakashima, N. (2016) NaOH-Aided Platinum Nanoparticle Size Regulation on Polybenzimidazole-Wrapped Carbon Nanotubes for Use as Non-Humidified Polymer Electrolyte Fuel Cell Catalyst, <i>ChemCatChem</i> , 8 (1), 268-275. DOI: 10.1002/cctc.201501089
53	Hoang, T.T.H. and Gewirth, A.A. (2016) High Activity Oxygen Evolution Reaction Catalysts from Additive-Controlled Electrodeposited Ni and NiFe Films, <i>ACS Catalysis</i> , 6 (2), 1159-1164. DOI: 10.1021/acscatal.5b02365
52	Toshimitsu, F. and Nakashima, N. (2015) Facile Isolation of Adsorbent-Free Long and Highly-Pure Chirality-Selected Semiconducting Single-Walled Carbon Nanotubes Using A Hydrogen-bonding Supramolecular Polymer, <i>Scientific Reports</i> , 5, 18066. DOI: 10.1038/srep18066
51	Perry, N.H., Stevanovic, V., Lime, L.Y. and Masonf, T.O. (2016) Discovery of a ternary pseudobrookite phase in the earth-abundant Ti–Zn–O system, <i>Dalton Transactions</i> , 45 (4), 1572-1581. DOI: 10.1039/C5DT04145G
50	Yang, Z. and Nakashima, N. (2016) An Electrocatalyst Based on Carbon Nanotubes Coated with Poly(vinylpyrrolidone) Shows a High Tolerance to Carbon Monoxide in a Direct Methanol Fuel Cell, <i>ChemCatChem</i> , 8 (3), 600-606. DOI: 10.1002/cctc.201501060
49	Hong, L., Takagaki, Y., Yoshikawa, H., and Nakashima, N. (2016) Efficient Dispersion of “Super-Growth” Single-Walled Carbon Nanotubes Using a Copolymer of Naphthalene Diimide and Poly(dimethylsiloxane), <i>Bulletin of the Chemical Society of Japan</i> , 89 (2), 183-191. DOI: 10.1246/bcsj.20150340
48	Berber, M.R., Hafez, I.H., Fujigaya, T. and Nakashima, N. (2015) A highly durable fuel cell electrocatalyst based on double-polymer-coated carbon nanotubes, <i>Scientific Reports</i> , 5, 16711. DOI: 10.1038/srep16711
47	Wu, J., Pramana, S.S., Skinner, S.J., Kilner, J.A. and Horsfield, A.P. (2015) Why Ni is absent from the surface of $\text{La}_2\text{NiO}_{4+\delta}$?, <i>Journal of Materials Chemistry A</i> , 3 (47), 23760-23767. DOI: 10.1039/c5ta03759j
46	Rupp, G.M., Téllez, H., Druce, J., Limbeck, A., Ishihara, T., Kilner, J., and Fleig, J. (2015) Surface chemistry of $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_{3-\delta}$ thin films and its impact on the oxygen surface exchange resistance, <i>Journal of Materials Chemistry A</i> , 3 (45), 22759-22769. DOI: 10.1039/c5ta05279c
45	Tsutsumi, Y., Fujigaya, T. and Nakashima, N. (2015) Size reduction of 3D-polymer-coated single-walled carbon nanotubes by ultracentrifugation, <i>Nanoscale</i> , 7 (46), 19534-19539. DOI: 10.1039/C5NR05066A
44	Yang, Z. and Nakashima, N. (2015) Poly(vinylpyrrolidone)-wrapped carbon nanotube-based fuel cell electrocatalyst shows high durability and performance under non-humidified operation, <i>Journal</i>

	of Materials Chemistry A, 3 (46), 23316-23322. DOI: 10.1039/C5TA06735A
43	Li, Y., Tse, E.C.M., Barile, C.J., Gewirth, A.A. and Zimmerman, S.C. (2015) Photoresponsive Molecular Switch for Regulating Transmembrane Proton-Transfer Kinetics, <i>Journal of the American Chemical Society</i> , 137 (44), 14059-14062. DOI: 10.1021/jacs.5b10016
42	Fujigaya, T., Saegusa, Y., Momota, S., Uda, N., and Nakashima, N. (2016) Interfacial engineering of epoxy/carbon nanotubes using reactive glue for effective reinforcement of the composite, <i>Polymer Journal</i> , 48 (2), 183-188. DOI: 10.1038/pj.2015.98
41	Shiraishi, T., Juhász, G., Shiraki, T., Akizuki, N., Miyauchi, Y., Matsuda, K. and Nakashima, N. (2016) Determination of Precise Redox Properties of Oxygen-Doped Single-Walled Carbon Nanotubes Based on in Situ Photoluminescence Electrochemistry, <i>Journal of Physical Chemistry C</i> , 120 (29), 15632-15639. DOI: 10.1021/acs.jpcc.5b07841
40	Yu, X., Shiraki, T., Yang, S., Ding, B. and Nakashima, N. (2015) Synthesis of porous gold nanoparticles/MoS ₂ nanocomposites based on redox reaction in water/ethanol mixed soluteons, <i>RSC Advances</i> , 5 (105), 86558-86563. DOI: 10.1039/C5RA15421A
39	Hayashi, A., Kato, K. and Sasaki, K. (2015) Immobilization of an Enzyme Into Nano-Space of Nanostructured Carbon and Evaluation as Electrochemical Sensors, <i>Journal of Nanoscience and Nanotechnology</i> , 15 (9), 7395-7401. DOI: 10.1166/jnn.2015.10618
38	Yang, Z., Fujigaya, T. and Nakashima, N. (2015) Homogeneous coating of ionomer on electrocatalyst assisted by polybenzimidazole as an adhesive layer and its effect on fuel cell performance, <i>Journal of Power Sources</i> , 300, 175-181. DOI: 10.1016/j.jpowsour.2015.09.069
37	Lyth, S.M., Ma, W., Liu, J., Daio, T., Sasaki, K., Takahara, A. and Ameduri, B. (2015) Solvothermal synthesis of superhydrophobic hollow carbon nanoparticles from a fluorinated alcohol, <i>Nanoscale</i> , 7 (38), 16087-16093. DOI: 10.1039/C5NR03484A
36	Shiraki, T., Kim, G. and Nakashima, N. (2015) Room-temperature synthesis of a covalent organic framework with enhanced surface area and thermal stability and application to nitrogen-doped graphite synthesis, <i>Chemistry Letters</i> , 44 (11), 1488-1490. DOI: 10.1246/cl.150678
35	Tachikawa, Y., Sugimoto, J., Takada, M., Kawabata, T., Lyth, S.M., Shiratori, Y. and Sasaki, K. (2015) In operando visualization of SOFC electrodes by thermography and visible light imaging, <i>ECS Electrochemistry Letters</i> , 4 (11), F61-F64. DOI: 10.1149/2.0031511eel
34	Pham, H.-C., Taniguchi, S., Inoue, Y., Chou, J.-T., Izumi, T., Matsuoka, K. and Sasaki, K. (2015) Decrease in electrical resistance of surface oxide of iron-chromium-aluminium alloy by La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O ₃ coating and heat treatment for the application of metal-supported solid oxide fuel cells, <i>Journal of Power Sources</i> , 297, 181-187. DOI: 10.1016/j.jpowsour.2015.07.096
33	Chen, Y., Téllez, H., Burriel, M., Yang, F., Tsvetkov, N., Cai, Z., McComb, D.W., Kilner, J.A. and Yildiz, B. (2015) Segregated Chemistry and Structure on (001) and (100) Surfaces of (La _{1-x} Sr _x) ₂ CoO ₄ Override the Crystal Anisotropy in Oxygen Exchange Kinetics, <i>Chemistry of Materials</i> , 27 (15), 5436-5450. DOI: 10.1021/acs.chemmater.5b02292
32	Daio, T., Bayer, T., Ikuta, T., Nishiyama, T., Takahashi, K., Takata, Y., Sasaki, K. and Lyth, S.M.

	(2015) In-Situ ESEM and EELS Observation of Water Uptake and Ice Formation in Multilayer Graphene Oxide, <i>Scientific Reports</i> , 5, 11807. DOI: 10.1038/srep11807
31	Shiratori, Y., Sakamoto, M., Uchida, T., Le, H., Quang-Tuyen, T. and Sasaki, K. (2015) Hydrotalcite-dispersed paper-structured catalyst for the dry reforming of methane, <i>International Journal of Hydrogen Energy</i> , 40 (34), 10807-10815. DOI: 10.1016/j.ijhydene.2015.07.016
30	Yang, Z., Kim, C., Hirata, S., Fujigaya, T. and Nakashima, N. (2015) Facile Enhancement in CO-Tolerance of a Polymer-Coated Pt Electrocatalyst Supported on Carbon Black: Comparison between Vulcan and Ketjenblack, <i>Applied Materials & Interfaces</i> , 7, 15885-15891. DOI: 10.1021/acsami.5b03371
29	Matsuzaki, Y., Tachikawa, Y., Somekawa, T., Hatae, T., Matsumoto, H., Taniguchi, S. and Sasaki, K. (2015) Effect of proton-conduction in electrolyte on electric efficiency of multi-stage solid oxide fuel cells, <i>Scientific Reports</i> , 5, 12640. DOI: 10.1038/srep12640
28	Yang, Z. and Nakashima, N. (2015) A simple preparation of very high methanol tolerant cathode electrocatalyst for direct methanol fuel cell based on polymer-coated carbon nanotube/platinum, <i>Scientific Reports</i> , 5, 12236. DOI: 10.1038/srep12236
27	Aydin, Ö., Nakajima, H. and Kitahara, T. (2015) Current and temperature distributions in-situ acquired by electrode-segmentation along a microtubular solid oxide fuel cell operating with syngas, <i>Journal of Power Sources</i> , 293, 1053-1061. DOI: 10.1016/j.jpowsour.2015.06.024
26	Yang, Z., Fujigaya, T. and Nakashima, N. (2015) A phosphoric acid-doped electrocatalyst supported on poly(para-pyridine benzimidazole)-wrapped carbon nanotubes shows a high durability and performance, <i>Journal of Materials Chemistry A</i> , 3 (27), 14318-14324. DOI: 10.1039/c5ta01650a
25	Kato, Y., Fukuzawa, M., Toshimitsu, F. and Nakashima, N. (2015) Separation of Semiconducting Single-walled Carbon Nanotubes Using a Flavin Compound, <i>Chemistry Letters</i> , 44 (4), 566-567. DOI: 10.1246/cl.141193
24	Télliez, H., Druce, J., Kilner, J. A. and Ishihara, T. (2015) Relating surface chemistry and oxygen surface exchange in $\text{LnBaCo}_2\text{O}_{5-\delta}$ air electrodes, <i>Faraday Discussions</i> , 182, 145-157. DOI: 10.1039/C5FD00027K
23	Druce, J., Télliez, H., Ishihara, T. and Kilner, J. (2015) Oxygen exchange and transport in dual phase ceramic composite electrodes, <i>Faraday Discussions</i> , 182, 271-288. DOI: 10.1039/C5FD00028A
22	Yoo, J., Lee, S., Hirata, S., Kim, C., Lee, C.K., Shiraki, T., Nakashima, N. and Shim, J.K. (2015) In Situ Synthesis of Covalent Organic Frameworks (COFs) on Carbon Nanotubes and Graphenes by Sonochemical Reaction for CO_2 Adsorbents, <i>Chemistry Letters</i> , 44 (4), 560-562. DOI: 10.1246/cl.141194
21	Zhao, L., Perry, N.H., Daio, T., Sasaki, K. and Bishop, S.R. (2015) Improving the Si impurity tolerance of $\text{Pr}_{0.1}\text{Ce}_{0.9}\text{O}_{2-\delta}$ SOFC electrodes with reactive surface additives, <i>Chemistry of Materials</i> , 27 (8), 3065-3070. DOI: 10.1021/acs.chemmater.5b00501

20	Niidome, T., Fujii, M., Nakashima, N., Katayama, Y. and Niidome, Y. (2015) Imaging Mass Spectrometry of Gold Nanorods Distributed in Tumor Tissues, <i>Chemistry Letters</i> , 44 (7), 931-933. DOI: 10.1246/cl.150258
19	Saranya, A.M., Pla, D., Morata, A., Cavallaro, A., Canales-Vázquez, J., Kilner, J.A., Burriel, M. and Tarancón, A. (2015) Engineering Mixed Ionic Electronic Conduction in $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_{3+\delta}$ Nanostructures through Fast Grain Boundary Oxygen Diffusivity, <i>Advanced Energy Materials</i> , 5 (11), 1500377. DOI: 10.1002/aenm.201500377
18	Yang, Z., Moriguchi, I. and Nakashima, N. (2015) Durable Pt electrocatalyst supported on a 3D nanoporous carbon shows high performance in a high-temperature polymer electrolyte fuel cell, <i>ACS Applied Materials and Interfaces</i> , 7 (18), 9800-9806. DOI: 10.1021/acsami.5b01724
17	Yang, Z., Berber, M.R. and Nakashima, N. (2015) Design of polymer-coated multi-walled carbon nanotube/carbon black-based fuel cell catalysts with high durability and performance under non-humidified condition, <i>Electrochimica Acta</i> , 170, 1-8. DOI: 10.1016/j.electacta.2015.04.122
16	Ito, K., Maeda, Y., Sakaguchi, T., Tsukamoto, S., Inada, A., Tsuchiya, Y. and Nakajima, H. (2015) Analysis and visualization of water flow impact on hydrogen production efficiency in solid polymer water electrolyzer under high-pressure condition, <i>International Journal of Hydrogen Energy</i> , 40 (18), 5995-6003. DOI: 10.1016/j.ijhydene.2015.03.045
15	Marrocchelli, D. and Perry, N.H. (2015) Understanding chemical expansion in perovskite-structured oxides, <i>Physical Chemistry Chemical Physics</i> , 17, 10028-10039. DOI: 10.1039/C4CP05885B
14	Shiraki, T., Shindome, S., Toshimitsu, F., Fujigaya, T. and Nakashima, N. (2015) Strong Main-Chain Length-Dependence for the β -Phase Formation of Oligofluorenes, <i>Polymer Chemistry</i> , 6 (28), 5103-5109. DOI: 10.1039/C5PY00385G
13	Fujigaya, T. and Nakashima, N. (2015) Non-covalent polymer wrapping of carbon nanotubes and the role of wrapped polymers as functional dispersants, <i>Science and Technology of Advanced Materials</i> , 16 (2), 024802. DOI: 10.1088/1468-6996/16/2/024802
12	Okuyama, Y., Isa, K., Lee, Y.S., Sakai, T., Matsumoto, H. (2015) Incorporation and conduction of proton in $\text{SrCe}_{0.9-x}\text{Zr}_x\text{Y}_{0.1}\text{O}_{3-\delta}$, <i>Solid State Ionics</i> , 275, 25-28. DOI: 10.1016/j.ssi.2015.01.010
11	Kitahara, T., Nakajima, H. and Okamura, K. (2015) Gas diffusion layers coated with a microporous layer containing hydrophilic carbon nanotubes for performance enhancement of polymer electrolyte fuel cells under both low and high humidity conditions, <i>Journal of Power Sources</i> , 283 (1), 115-124. DOI: 10.1016/j.jpowsour.2015.02.115
10	Lyth, S.M. and Silva, S.R.P. (2015) Electron Field Emission from Water-Based Carbon Nanotube Inks, <i>ECS Journal of Solid State Science and Technology</i> , 4 (4), P3034-P3043. DOI: 10.1149/2.0051504jss
9	Quang-Tuyen, T., Kaida, T., Sakamoto, M., Sasaki, K. and Shiratori, Y. (2015) Effectiveness of paper-structured catalyst for the operation of biodiesel-fueled solid oxide fuel cell, <i>Journal of Power Sources</i> , 283 (20745), 320-327. DOI: 10.1016/j.jpowsour.2015.02.116

8	Télléz, H., Druce, J., Hong, J.-E., Ishihara, T. and Kilner, J.A. (2015) Accurate and precise measurement of oxygen isotopic fractions and diffusion profiles by selective attenuation of secondary ions (SASI), <i>Analytical Chemistry</i> , 87 (5), 2907-2915. DOI: 10.1021/ac504409x
7	Sonoda, Y., Hayashi, A., Minamida, Y., Matsuda, J. and Akiba, E. (2015) Nanostructure control of porous carbon materials through changing acidity with a soft-template method, <i>Chemistry Letters</i> , 44 (4), 503-505. DOI: 10.1246/cl.141202
6	Toshimitsu, F., Ozawa, H. and Nakashima, N. (2015) Hybrids of Copolymers of Fluorene and C60-Carrying-Carbazole with Semiconducting Single-Walled Carbon Nanotubes, <i>Chemistry - A European Journal</i> , 21 (8), 3359-3366. DOI: 10.1002/chem.201405050
5	Imazu, N., Fujigaya, T. and Nakashima, N. (2015) Fabrication of Highly Transparent, Thermally Stable, and Scalable Conductive Films from Double-walled Carbon Nanotubes, <i>Bulletin of the Chemical Society of Japan</i> , 88 (1), 217-221. DOI: 10.1246/bcsj.20140277
4	Tse, E.C.M. and Gewirth, A.A. (2015) Effect of temperature and pressure on the kinetics of the oxygen reduction reaction, <i>Journal of Physical Chemistry A</i> , 119 (8), 1246-1255. DOI: 10.1021/acs.jpca.5b00572
3	Fukumaru, T., Fujigaya, T. and Nakashima, N. (2015) Development of n-type cobaltocene-encapsulated carbon nanotubes with remarkable thermoelectric property, <i>Scientific Reports</i> , 5, 7951. DOI: 10.1038/srep07951
2	Tse, E.C.M., Barile, C.J., Gewargis, J.P., Li, Y., Zimmerman, S.C. and Gewirth, A.A. (2015) Anion transport through lipids in a hybrid bilayer membrane, <i>Analytical Chemistry</i> , 87 (4), 2403-2409. DOI: 10.1021/ac5043544
1	Yang, Z., Hafez, I.H., Berber, M.R. and Nakashima, N. (2015) An Enhanced Anode based on Polymer-Coated Carbon Black for use as a Direct Methanol Fuel Cell Electrocatalyst, <i>ChemCatChem</i> , 7 (5), 808-813. DOI: 10.1002/cctc.201402917