

| No. | Description  |
|-----|--|
| 36  | Verma, S., Hamasaki, Y., Kim, C., Huang, W., Lu, S., Jhong, H.-R.M., Gewirth, A.A., Fujigaya, T., Nakashima, N. and Kenis, P.J.A. (2018) Insights into the Low Overpotential Electroreduction of CO <sub>2</sub> to CO on a Supported Gold Catalyst in an Alkaline Flow Electrolyzer, <i>ACS Energy Letters</i> , 3 (1), 193-198. DOI: 10.1021/acsenergylett.7b01096 |
| 35  | Muramoto, A., Kikuchi, Y., Tachikawa, Y., Lyth, S.M., Shiratori, Y., Taniguchi, S. and Sasaki, K. (2017) High-pressure C-H-O diagrams: Fuel composition, carbon deposition, and open circuit voltage of pressurized SOFCs, <i>International Journal of Hydrogen Energy</i> , 42 (52), 30769-30786. DOI: 10.1016/j.ijhydene.2017.10.122                               |
| 34  | Edalati, K., Hashiguchi, Y., Pereira, P.H.R., Horita, Z. and Langdon, T.G. (2018) Effect of temperature rise on microstructural evolution during high-pressure torsion, <i>Materials Science and Engineering A</i> , 714, 167-171. DOI: 10.1016/j.msea.2017.12.095   |
| 33  | Lee, Y.-S., Takamura, Y., Lee, Y.-H., Leonard, K. and Matsumoto, H. (2018) Investigation of the electrical properties in indium and yttrium-doped barium zirconate based proton conducting perovskites, <i>Materials Transactions</i> , 59 (1), 19-22. DOI: 10.2320/matertrans.MB201702  |
| 32  | Shiraki, T., Uchimura, S., Shiraishi, T., Onitsuka, H. and Nakashima, N. (2017) Near infrared photoluminescence modulation by defect site design using aryl isomers in locally functionalized single-walled carbon nanotubes, <i>Chemical Communications</i> , 53 (93), 12544-12547. DOI: 10.1039/c7cc06663e   |
| 31  | Jhong, H.-R.M., Tornow, C.E., Kim, C., Verma, S., Oberst, J.L., Anderson, P.S., Gewirth, A.A., Fujigaya, T., Nakashima, N. and Kenis, P.J.A. (2017) Gold Nanoparticles on Polymer-Wrapped Carbon Nanotubes: An Efficient and Selective Catalyst for the Electroreduction of CO <sub>2</sub> , <i>ChemPhysChem</i> , 18 (22), 3274-3279. DOI: 10.1002/cphc.201700815  |
| 30  | Télliez Lozano, H., Druce, J., Cooper, S.J., Kilner, J.A. (2017) Double perovskite cathodes for proton-conducting ceramic fuel cells: are they triple mixed ionic electronic conductors?, <i>Science and Technology of Advanced Materials</i> , 18 (1), 977-986. DOI: 10.1080/14686996.2017.1402661  |
| 29  | Feng, S., Kondo, S., Kaseyama, T., Nakazawa, T., Kikuchi, T., Selyanchyn, R., Fujikawa, S., Christiani, L., Sasaki, K. and Nishihara, M. (2018) Development of polymer-polymer type charge-transfer blend membranes for fuel cell application, <i>Journal of Membrane Science</i> , 548 (15), 223-231. DOI: 10.1016/j.memsci.2017.11.025                             |
| 28  | Shiraishi, T., Shiraki, T., and Nakashima, N. (2017) Substituent Effects on the Redox States of Locally Functionalized Single-Walled Carbon Nanotubes Revealed by in situ Photoluminescence Spectroelectrochemistry, <i>Nanoscale</i> , 9 (43), 16900-16907. DOI: 10.1039/C7NR05480G   |
| 27  | Ting Chen, George F. Harrington, Kazunari Sasaki, and Nicola H. Perry (2017) Impact of microstructure and crystallinity on surface exchange kinetics of strontium titanium iron oxide perovskite by in situ optical transmission relaxation approach, <i>Journal of Materials Chemistry A</i> , 5, 23006-23019. DOI: 10.1039/c7ta04940d                              |
| 26  | Zitolo, A., Ranjbar-Sahraie, N., Mineva, T., Li, J., Jia, Q., Stamatina, S., Harrington, G.F., Lyth, S.M.,   |

|    |   |
|----|---|
|    | Krttil, P., Mukerjee, S., Fonda, E. and Jaouen, F. (2017) Identification of catalytic sites in cobalt-nitrogen-carbon materials for the oxygen reduction reaction, <i>Nature Communications</i> , 8 (1), 1100. DOI: 10.1038/s41467-017-01100-7  |
| 25 | Kim, G., Yang, J., Nakashima, N., and Shiraki, T. (2017) Highly Microporous Nitrogen-doped Carbon Synthesized from Azine-linked Covalent Organic Framework and its Supercapacitor Function, <i>Chemistry A European Journal</i> , 23, (69), 173948. DOI: 10.1002/chem.201704201   |
| 24 | Fujigaya, T., Saito, C., Han, Z. and Nakashima, N. (2017) Ionomer grafting to polymer-wrapped carbon nanotubes for polymer electrolyte membrane fuel cell electrocatalyst., <i>Chemistry Letters</i> , 46 (11), 1660-1663. DOI: 10.1246/cl.170744   |
| 23 | Bayer, T., Selyanchyn, R., Fujikawa, S., Sasaki, K. and Lyth, S.M. (2017) Spray-painted graphene oxide membrane fuel cells, <i>Journal of Membrane Science</i> , 541, 347-357. DOI: 10.1016/j.memsci.2017.07.012  |
| 22 | Mae, K., Toyama, H., Nawa-Okita, E., Yamamoto, D., Chen, Y.-J., Yoshikawa, K., Toshimitsu, F., Nakashima, N., Matsuda, K. and Shioi, A. (2017) Self-organized micro-spiral of single-walled carbon nanotubes, <i>Scientific Reports</i> , 7, 5267. DOI: 10.1038/s41598-017-05558-9  |
| 21 | Hafez, I. H., Berber, M. R., Fujigaya, T. and Nakashima, N. (2017) High electronic conductivity and air stability of ultrasmall copper-metal nanoparticles supported on pyridine-based polybenzimidazole carbon nanotube composite, <i>ChemCatChem</i> , 9 (22), 4282-4286. DOI: 10.1002/cctc.201700921   |
| 20 | Mufundirwa, A., Harrington, G.F., Smid, B., Cuning, B.V., Sasaki, K. and Lyth, S.M. (2018) Durability of template-free Fe-N-C foams for electrochemical oxygen reduction in alkaline solution, <i>Journal of Power Sources</i> , 375, 244-254. DOI: 10.1016/j.jpowsour.2017.07.025  |
| 19 | M. Okumura, M., Noda, Z., Matsuda, J., Tachikawa, Y., Nishihara, M., Lyth, S.M., Hayashi, A. and Sasaki K. (2017) Correlating Cathode Microstructure with PEFC Performance Using FIB-SEM and TEM, <i>Journal of The Electrochemical Society</i> , 164 (9), F928-F934. DOI: 10.1149/2.0581709jes   |
| 18 | Somekawa, T., Matsuzaki, Y., Sugahara, M., Tachikawa, Y., Matsumoto, H., Taniguchi, S. and Sasaki, K. (2017) Physicochemical properties of Ba(Zr,Ce)O <sub>3-δ</sub> -based proton-conducting electrolytes for solid oxide fuel cells in terms of chemical stability and electrochemical performance, <i>International Journal of Hydrogen Energy</i> , 42 (26), 16722-16730. DOI: 10.1016/j.ijhydene.2017.04.267 |
| 17 | Ueda, T., Abe, H., Kamada, K., Bishop, S.R., Tuller, H.L., Hyodo, T. and Shimizu, Y. (2017) Enhanced sensing response of solid-electrolyte gas sensors to toluene: Role of composite Au/metal oxide sensing electrode, <i>Sensors and Actuators, B: Chemical</i> , 252, 268-276. DOI: 10.1016/j.snb.2017.05.172   |
| 16 | Kim, C.S., Bishop, S.R. and Tuller, H.L. (2017) Electro-chemo-mechanical studies of perovskite-structured mixed ionic-electronic conducting SrSn <sub>1-x</sub> Fe <sub>x</sub> O <sub>3-x/2+δ</sub> part II: Electrical conductivity and cathode performance, <i>Journal of Electroceramics</i> , 1-8. DOI: 10.1007/s10832-017-0098-6  |
| 15 | Futamura S., Tachikawa Y., Matsuda J., Lyth S. M., Shiratori Y., Taniguchi S., Sasaki K. (2017)   |

|    |   |
|----|---|
|    | Alternative Ni-Impregnated Mixed Ionic-Electronic Conducting Anode for SOFC Operation at High Fuel Utilization, <i>Journal of The Electrochemical Society</i> , 164 (10), F3055-F3063. DOI: 10.1149/2.0071710jes  |
| 14 | Harrington, G.F., Cavallaro, A., McComb, D.W., Skinner, S.J. and Kilner, J.A. (2017) The effects of lattice strain, dislocations, and microstructure on the transport properties of YSZ films, <i>Physical Chemistry Chemical Physics</i> , 19 (22), 14319-14336. DOI: 10.1039/c7cp02017a   |
| 13 | Huber, T.M., Navickas, E., Sasaki, K., Yildiz, B., H., Friedbacher, G., Hutter, H. and Fleig, J. (2017) Novel Experimental Design for Voltage Driven Tracer Incorporation and Diffusion Studies on Oxide Thin Film Electrodes, <i>J. Electrochem. Soc.</i> (Accepted), 164 (7), F809-F814. DOI: 10.1149/2.0711707jes  |
| 12 | Huber, T.M., Navickas, E., Sasaki, K., Yildiz, B., Tuller, H., Friedbacher, G., Hutter, H. and Fleig, J. (2017) Experimental design for voltage driven tracer incorporation and diffusion studies on oxide thin film electrodes, <i>Journal of the Electrochemical Society</i> , 164 (7), F809-F814. DOI: 10.1149/2.0711707jes  |
| 11 | Sheth, J., Chen, D., Tuller, H.L., Mixture, S.T., Bishop, S.R. and Sheldon, B.W. (2017) Role of grain size on redox induced compositional stresses in Pr doped ceria thin films, <i>Physical Chemistry Chemical Physics</i> , 19 (19), 12206-12220. DOI: 10.1039/c7cp00088j   |
| 10 | Fujigaya, T., Shi, Y.L., Yang, J., Li, H., Ito, K. and Nakashima, N. (2017) A highly efficient and durable carbon nanotube-based anode electrocatalyst for water electrolyzers, <i>Journal of Materials Chemistry A</i> , 5 (21), 10584-10590. DOI: 10.1039/c7ta01318c  |
| 9  | Pichler, M., Si, W., Haydous, F., Téllez, H., Druce, J., Fabbri, E., Kazzi, M.E., Döbeli, M., Ninova, S., Aschauer, U., Wokaun, A., Pergolesi, D. and Lippert, T. (2017) LaTiO <sub>x</sub> N <sub>y</sub> Thin Film Model Systems for Photocatalytic Water Splitting: Physicochemical Evolution of the Solid-Liquid Interface and the Role of the Crystallographic Orientation, <i>Advanced Functional Materials</i> , 27 (20), 1605690. DOI: 10.1002/adfm.201605690 |
| 8  | Kim, J.J., Bishop, S.R., Chen, D. and Tuller, H.L. (2017) Defect Chemistry of Pr Doped Ceria Thin Films Investigated by in Situ Optical and Impedance Measurements, <i>Chemistry of Materials</i> , 29 (5), 1999-2007. DOI: 10.1021/acs.chemmater.6b03307   |
| 7  | Yang, J., Fujigaya, T. and Nakashima, N. (2017) Decorating unoxidized-carbon nanotubes with homogeneous Ni-Co spinel nanocrystals show superior performance for oxygen evolution/reduction reactions, <i>Scientific Reports</i> , 7, 45384. DOI: 10.1038/srep45384  |
| 6  | Breitwieser, M., Bayer, T., Büchler, A., Zengerle, R., Lyth, S.M. and Thiele, S. (2017) A fully spray-coated fuel cell membrane electrode assembly using Aquivion ionomer with a graphene oxide/cerium oxide interlayer, <i>Journal of Power Sources</i> , 351, 145-150. DOI: 10.1016/j.jpowsour.2017.03.085  |
| 5  | Tse, E.C.M., Barile, C.J., Li, Y., Zimmerman, S.C., Hosseini, A. and Gewirth, A.A. (2017) Proton transfer dynamics dictate quinone speciation at lipid-modified electrodes, <i>Physical Chemistry Chemical Physics</i> , 19 (10), 7086-7093. DOI: 10.1039/c6cp07586j  |

Division: Electrochemical Energy Conversion

Year: 2017

|   |  |
|---|--|
| 4 | Noda, Z., Hirata, K., Hayashi, A., Takahashi, T., Nakazato, N., Saigusa, K., Seo, A., Suzuki, K., Ariura, S., Shinkai, H. and Sasaki, K. (2017) Hydrogen pump-type impurity sensors for hydrogen fuels, International Journal of Hydrogen Energy, 42 (5), 3281-3293. DOI: 10.1016/j.ijhydene.2016.12.066           |
| 3 | Sugimoto, J., Futamura, S., Kawabata, T., Lyth, S.M., Shiratori, Y., Taniguchi, S. and Sasaki, K. (2017) Ru-based SOFC anodes: Preparation, performance, and durability, International Journal of Hydrogen Energy, 42 (10), 6950-6964. DOI: 10.1016/j.ijhydene.2017.01.028   |
| 2 | Kim, C.S., Bishop, S.R., Perry, N.H. and Tuller, H.L. (2017) Electro-chemo-mechanical studies of perovskite-structured mixed ionic-electronic conducting $\text{SrSn}_{1-x}\text{Fe}_x\text{O}_{3-x/2+\delta}$ part I: Defect chemistry, Journal of Electroceramics, 38 (1), 74-80. DOI: 10.1007/s10832-017-0064-3 |
| 1 | Ma, S., Liu, J., Sasaski, K., Lyth, S.M. and Kenis, P. (2017) Carbon foam decorated with silver nanoparticles for electrochemical $\text{CO}_2$ conversion, Energy Technology, 5 (6), 861-863. DOI: 10.1002/ente.201600576   |