

No.	Description
38	Takaki, S., Akama, D., Nakada, N. and Tsuchiyama, T. (2014) Effect of Grain Boundary Segregation of Interstitial Elements on Hall-Petch Coefficient in Steels, <i>Materials Transactions</i> , 55 (1), 28-34. DOI: 10.2320/matertrans.MA201314
37	Alvaro, A., Olden, V. and Macadre, A. (2014) Hydrogen embrittlement susceptibility of a weld simulated X70 heat affected zone under H <sub>2</sub> pressure, <i>Materials Science and Engineering A</i> , 597, 29-36. DOI: 10.1016/j.msea.2013.12.042
36	Fujio, Y., Xu, C.-N., Terasaki, N. and Ueno, N. (2014) Influence of organic solvent treatment on elasticoluminescent property of europium-doped strontium aluminates, <i>Journal of Luminescence</i> , 148, 89-93. DOI: 10.1016/j.jlumin.2013.11.084
35	Terasaki, N. and Xu, C.-N. (2014) Performance of single mechanoluminescent particle as ubiquitous light source, <i>Journal of Colloid and Interface Science</i> , 427, 62-66. DOI: 10.1016/j.jcis.2013.11.070
34	Li, H., Yagi, K., Sugimura, J., Kajita, S. and Shinyoshi, T. (2013) Roll of Wear Particles in Scuffing Initiation, <i>Tribology Online</i> , 8 (5), 285-294. DOI: 10.2474/trol.8.285
33	Nakada, N., Mizutani, K., Tsuchiyama, T. and Takaki, S. (2014) Difference in transformation behavior between ferrite and austenite formations in medium manganese steel, <i>Acta Materialia</i> , 65, 251-258. DOI: 10.1016/j.actamat.2013.10.067
32	Matsunaga, H., Usuda, T., Yanase, K. and Endo, M. (2014) Ductility Loss in Ductile Cast Iron with Internal Hydrogen, <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 45 (3), 1315-1326. DOI: 10.1007/s11661-013-2109-9
31	Awane, T., Fukushima, Y., Matsuo, T., Murakami, Y. and Miwa, S. (2014) Highly sensitive secondary ion mass spectrometric analysis of time variation of hydrogen spatial distribution in austenitic stainless steel at room temperature in vacuum, <i>International Journal of Hydrogen Energy</i> , 39 (2), 1164-1172. DOI: 10.1016/j.ijhydene.2013.10.116
30	Murakami, Y., Yamabe, J. and Matsunaga, H. (2014) Microscopic Mechanism of Hydrogen Embrittlement in Fatigue and Fracture, <i>Key Engineering Materials</i> , 592-593, 3-13. DOI: 10.4028/www.scientific.net/KEM.592-593.3
29	Matsuo, T., Yamabe, J., Furukawa, H., Seki, K., Shimizu, K., Watanabe, S. and Matsuoka, S. (2014) Development of New Strain Gage for High-Pressure Hydrogen Gas Use, <i>Experimental Mechanics</i> , 54 (3), 431-442. DOI: 10.1007/s11340-013-9816-4
28	Terasaki, N. and Xu, C.-N. (2013) Historical-log recording system for crack opening and growth based on mechanoluminescent flexible sensor, <i>IEEE Sensors Journal</i> , 13 (10), 3999-4004. DOI: 10.1109/JSEN.2013.2264665
27	Matsunaga, H., Makizaki, M. and Yanase, K. (2013) Finite Element Modeling of Plasticity-induced Crack Closure due to Occasional Mode II Loading on Mode I Fatigue Crack Growth, <i>Engineering Fracture Mechanics</i> , 111, 38-49. DOI: 10.1016/j.engfracmech.2013.09.001
26	Giannakopoulos, A.E., Aravas, N., Papageorgopoulou, A. and Vardoulakis, I. (2013) A structural

	gradient theory of torsion, the effects of pretwist, and the tension of pre-twisted DNA, International Journal of Solids and Structures, 50 (24), 3922-3933. DOI: 10.1016/j.ijsolstr.2013.08.003
25	Matsumoto, T., Itoga, H., Hirabayashi, S., Kubota, M. and Matsuoka, S. (2013) Effect of displacement velocity on elastic plastic fracture toughness of SM490B carbon steel plate in 0.7 MPa hydrogen gas, Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 79 (804), 1210-1225. DOI: 10.1299/kikaia.79.1210
24	Komata, H., Yamabe, J., Matsunaga, H., Fukushima, Y. and Matsuoka, S. (2013) Effect of size and depth of small defect on the rolling contact fatigue strength of a bearing steel SUJ2, Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 79 (803), 961-975. DOI: 10.1299/kikaia.79.961
23	Hamada, S., Kinoshita, T., Morishige, K., Hayashi, K., Ishina, T. and Noguchi, H. (2013) Engineering definitions of small crack and long crack at fatigue limit under tensile mean stress and a prediction method for determining the fatigue limit of a cracked Mg alloy, International Journal of Fatigue, 56, 86-94. DOI: 10.1016/j.ijfatigue.2013.08.006
22	Kawakami, K., Soejima, T. and Kubota, M. (2013) Fatigue Properties of Work-Hardened Oxygen-Free Copper in High-Pressure Hydrogen, Copper and copper alloy : Journal of Japan Research Institute for Advanced Copper-Base Materials and Technologies, 52 (1), 245-250. DOI: ISSN 1347-7234
21	Kresse, T., Borchers, C. and Kirchheim, R. (2013) Vacancy-carbon complexes in bcc iron: Correlation between carbon content, vacancy concentration and diffusion coefficient, Scripta Materialia, 69 (9), 690-693. DOI: 10.1016/j.scriptamat.2013.08.001
20	Tsukahara, H., Masumura, T., Tsuchiyama, T., Takaki, S., Nakashima, K., Hase, K. and Endo, S. (2013) Alloy design of 5%Mn-Cr-C system austenitic steel, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 99 (8), 509-516. DOI: 10.2355/tetsutohagane.99.509
19	Murakami, Y., Matsunaga, H., Abyazi, A. and Fukushima, Y. (2013) Defect size dependence on threshold stress intensity for high-strength steel with internal hydrogen, Fatigue and Fracture of Engineering Materials and Structures, 36 (9), 836-850. DOI: 10.1111/ffe.12077
18	Somerday, B.P., Sofronis, P., Nibur, K.A., San Marchi, C. and Kirchheim, R. (2013) Elucidating the variables affecting accelerated fatigue crack growth of steels in hydrogen gas with low oxygen concentrations, Acta Materialia, 61 (16), 6153-6170. DOI: 10.1016/j.actamat.2013.07.001
17	Wu, H., Hamada, S. and Noguchi, H. (2013) Pre-strain effect on fatigue strength characteristics of SUH660 plain specimens, International Journal of Fatigue, 55, 291-298. DOI: 10.1016/j.ijfatigue.2013.06.021
16	Yamabe, J., Matsuoka, S. and Murakami, Y. (2013) Surface coating with a high resistance to hydrogen entry under high-pressure hydrogen-gas environment, International Journal of Hydrogen Energy, 38 (24), 10141-10154. DOI: 10.1016/j.ijhydene.2013.05.152
15	Kresse, T., Li, Y.J., Boll, T., Borchers, C., Choi, P., Al-Kassab, T., Raabe, D. and Kirchheim, R. (2013) Influence of supersaturated carbon on the diffusion of Ni in ferrite determined by atom probe

	tomography, Scripta Materialia, 69 (5), 424-427. DOI: 10.1016/j.scriptamat.2013.05.039
14	Zhang, J.-C., Xu, C.-N., Kamimura, S., Terasawa, Y., Yamada, H. and Wang, X. (2013) An intense elasto-mechanoluminescence material $\text{CaZnOS:Mn}^{2+}$ for sensing and imaging multiple mechanical stresses, Optics Express, 21 (11), 12976-12986. DOI: 10.1364/OE.21.012976
13	Zhang, J.-C., Xu, C.-N. and Long, Y.-Z. (2013) Elasto-mechanoluminescence in $\text{CaZr(PO}_4)_2\text{:Mn}^{2+}$ with multiple trap levels, Optics Express, 21 (11), 13699-13709. DOI: 10.1364/OE.21.013699
12	Komoda, R., Kubota, M., Kondo, Y. and Furtado, J. (2013) Fundamental mechanisms causing reduction in fretting fatigue strength by hydrogen (Effect of hydrogen on small crack initiation at the adhered spot), Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A Volume 79, Issue, 79 (801), 536-545. DOI: 10.1299/kikaia.79.536
11	Zheng, X. G., Fujihala, M., Kitajima, S., Maki, M., Kato, K., Takata, M. and Xu, C. N. (2013) Strong magnetic-dielectric-lattice coupling in transition metal hydroxyhalides and ferroelectric response in rhombohedral $\text{Co}_2(\text{OD})_3\text{X}$ ( $\text{X}=\text{Cl, Br}$ ), Physical Review B - Condensed Matter and Materials Physics, 87 (17), 174102. DOI: 10.1103/PhysRevB.87.174102
10	Chen, Y.Z., Csiszár, G., Cizek, J., Westerkamp, S., Borchers, C., Ungár, T., Goto, S., Liu, f. and Kirchheim, R. (2013) Defects in Carbon-Rich Ferrite of Cold-Drawn Pearlitic Steel Wires, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 44 (8), 3882-3889. DOI: 10.1007/s11661-013-1723-x
9	Matsuoka, Y., Iwasaki, T., Nakada, N., Tsuchiyama, T. and Takaki, S. (2013) Effect of Grain Size on Thermal and Mechanical Stability of Austenite in Metastable Austenitic Stainless Steel, ISIJ International, 53 (7), 1224-1230. DOI: 10.2355/isijinternational.53.1224
8	Nakada, N., Fukagawa, R., Tsuchiyama, T., Takaki, S., Ponge, D. and Raabe, D. (2013) Inheritance of Dislocations and Crystallographic Texture during Martensitic Reversion into Austenite, ISIJ International, 53 (7), 1286-1288. DOI: 10.2355/isijinternational.53.1286
7	Chen, Y.Z., Herz, A., Li, Y.J., Borchers, C., Choi, P., Raabe, D. and Kirchheim, R. (2013) Nanocrystalline Fe-C alloys produced by ball milling of iron and graphite, Acta Materialia, 61 (9), 3172-3185. DOI: 10.1016/j.actamat.2013.02.006
6	Terasawa, Y., Fujio, Y. and Xu, C.-N. (2013) Evaluation and Prediction of Photoluminescence Performance on the Blue Phosphor $\text{CaMgSi}_2\text{O}_6\text{:Eu}$ by Analysis of the Trap, Electrochemistry, 81 (2), 77-81.
5	Tanaka, H., Morofuji, T., Enami, K., Hashimoto, M. and Sugimura, J. (2013) Effect of Environmental Gas on Surface Initiated Rolling Contact Fatigue, Tribology Online, 8 (1), 90-96. DOI: 10.2474/trol.8.90
4	Chen, Y.Z., Barth, H.P., Deutges, M., Borchers, C., Liu, F. and Kirchheim, R. (2013) Increase in dislocation density in cold-deformed Pd using H as a temporary alloying addition, Scripta Materialia, 68 (9), 743-746. DOI: 10.1016/j.scriptamat.2013.01.005
3	Fukuda, K. and Sugimura, J. (2013) Influences of Trace Water in a Hydrogen Environment on the Tribological Properties of Pure Iron, Tribology Online, 8 (1), 22-27. DOI: 10.2474/trol.8.22

Division: Hydrogen Materials Compatibility

Year: 2013

2	Nakada, N., Fukuzawa, N., Tsuchiyama, T., Takaki, S., Koyano, T., Iwamoto, T. and Omori, Y. (2013) Isothermal transformation in Fe-N hypereutectoid alloy, ISIJ International, 53 (1), 139-144. DOI: 10.2355/isijinternational.53.139
1	Kamimura, S., Yamada, H. and Xu, C.-N. (2013) Purple photochromism in $\text{Sr}_2\text{SnO}_4:\text{Eu}^{3+}$ with layered perovskite-related structure, Applied Physics Letters, 102 (3), 031110. DOI: 10.1063/1.4788752