

No.	Description
42	Subhi, Z.A., Fukuda, K., Morita, T. and Sugimura, J. (2015) Analysis on the mechanism of humidity to influence the very early stage of sliding under different load, Tribology Online, 10 (6), 420-427. DOI: 10.2474/trol.10.420
41	Matsuoka, S., Yamabe, J. and Matsunaga, H. (2016) Criteria for determining hydrogen compatibility and the mechanisms for hydrogen-assisted, surface crack growth in austenitic stainless steels, Engineering Fracture Mechanics, 153, 103-127. DOI: 10.1016/j.engfracmech.2015.12.023
40	Chen, Y.Z., Csiszár, G., Cizek, J., Shi, X.H., Borchers, C., Li, Y.J., Liu, F. and Kirchheim, R. (2016) Defect Recovery in Severely Deformed Ferrite Lamellae During Annealing and Its Impact on the Softening of Cold-Drawn Pearlitic Steel Wires, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 47 (2), 726-738. DOI: 10.1007/s11661-015-3263-z
39	Tanaka, Y., Akama, D., Nakada, N., Tsuchiyama, T. and Takaki, S. (2015) Effect of pearlite structure on lattice strain in ferrite estimated by the williamson-hall method, ISIJ International, 55 (11), 2515-2517. DOI: 10.2355/isijinternational.ISIJINT-2015-407
38	Matsunaga, H., Sun, C., Hong, Y. and Murakami, Y. (2015) Proposal of Design Method Enabling Cr-Mo Steels to be Used in High-Pressure Hydrogen Gas Environment, Journal of Surface Science Society of Japan, 36 (11), 562-567. DOI: 10.1380/jsssj.36.562
37	Dadfarnia, M., Nagao, A., Wang, S., Martin, M.L., Somerday, B. P. and Sofronis, P. (2015) Recent advances on hydrogen embrittlement of structural materials, International Journal of Fracture, 196 (1), 223-243. DOI: 10.1007/s10704-015-0068-4
36	Saravanan, P., Sinha, S.K., Jayaraman, S. and Duong, H.M. (2016) A comprehensive study on the self-lubrication mechanisms of SU-8 composites, Tribology International, 95, 391-405. DOI: 10.1016/j.triboint.2015.11.044
35	Kirchheim, R. (2016) Bulk Diffusion-Controlled Thermal Desorption Spectroscopy with Examples for Hydrogen in Iron, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 47 (2), 672-696. DOI: 10.1007/s11661-015-3236-2
34	Fujio, Y., Xu, C.-N., Terasawa, Y., Sakata, Y., Yamabe, J., Ueno, N., Terasaki, N., Yoshida, A., Watanabe, S. and Murakami, Y. (2016) Sheet sensor using SrAl ₂ O ₄ :Eu mechanoluminescent material for visualizing inner crack of high-pressure hydrogen vessel, International Journal of Hydrogen Energy, 41 (2), 1333-1340. DOI: 10.1016/j.ijhydene.2015.10.073
33	Kamimura, S., Obukuro, Y., Matsushima, S., Nakamura, H., Arai, M. and Xu, C.-N. (2015) First-principles energy band calculation of Ruddlesden-Popper compound Sr ₃ Sn ₂ O ₇ using modified Becke-Johnson exchange potential, Journal of Solid State Chemistry, 232, 163-168. DOI: 10.1016/j.jssc.2015.09.032
32	Kubota, M. and Komoda, R. (2015) Fretting fatigue in hydrogen environment, Torairarojisuto/Journal of Japanese Society of Tribologists, 60 (10), 651-657. DOI: ISSN: 09151168

31	Subhi, Z.-A., Fukuda, K., Morita, T. and Sugimura, J. (2015) Quantitative Estimation of Adsorbed Water Layer on Austenitic Stainless Steel, <i>Tribology Online</i> , 10 (5), 314-319. DOI: 10.2474/trol.10.314
30	Sugimura, J. (2015) Tribology in hydrogen society, <i>Toraibarojisuto/Journal of Japanese Society of Tribologists</i> , 60 (10), 625-631.
29	Tu, D., Xu, C.-N., Fujio, Y. and Yoshida, A. (2015) Tuning the mechano-optical conversion in CaZnOS with Cu ion concentration, <i>Journal of Physics D: Applied Physics</i> , 48 (47), 475105-. DOI: 10.1088/0022-3727/48/47/475105
28	Nakada, N., Koga, N., Tanaka, Y., Tsuchiyama, T., Takaki, S. and Ueda, M. (2015) Strengthening of pearlitic steel by ferrite/cementite elastic misfit strain, <i>ISIJ International</i> , 55 (9), 2036-2038. DOI: 10.2355/isijinternational.ISIJINT-2015-102
27	Kirchheim, R., Somerday, B. and Sofronis, P. (2015) Chemomechanical effects on the separation of interfaces occurring during fracture with emphasis on the hydrogen-iron and hydrogen-nickel system, <i>Acta Materialia</i> , 99, 87-98. DOI: 10.1016/j.actamat.2015.07.057
26	Yamabe, J., Itoga, H., Awane, T., Matsuo, T., Matsunaga, H., Matsuoka, S. (2015) Pressure Cycle Testing of Cr-Mo Steel Pressure Vessels Subjected to Gaseous Hydrogen, <i>Journal of Pressure Vessel Technology, Transactions of the ASME</i> , 138 (1), 011401-. DOI: 10.1115/1.4030086
25	Endo, M., Okazaki, S., Matsunaga, H., Moriyama, S., Munaoka, K. and Yanase, K. (2015) A New Fatigue Testing Machine for Investigating the Behavior of Small Shear-Mode Fatigue Cracks, <i>Experimental Techniques</i> , in press. DOI: 10.1111/ext.12140
24	Yagi, K. and Sugimura, J. (2016) Balancing Wedge Action in Textured Converging Bearings, <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 230 (3), 241-256. DOI: 10.1177/1350650115596541
23	Macadre, A., Nakada, N., Tsuchiyama, T. and Takaki, S. (2015) Critical grain size to limit the hydrogen-induced ductility drop in a metastable austenitic steel, <i>International Journal of Hydrogen Energy</i> , 40 (33), 10697-10703. DOI: 10.1016/j.ijhydene.2015.06.111
22	Matsunaga, H., Sun, C., Hong, Y. and Murakami, Y. (2015) Dominant factors for very-high-cycle fatigue of high-strength steels and a new design method for components, <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 38 (11), 1274-1284. DOI: 10.1111/ffe.12331
21	Yamabe, J., Awane, T. and Matsuoka, S. (2015) Elucidating the hydrogen-entry-obstruction mechanism of a newly developed aluminum-based coating in high-pressure gaseous hydrogen, <i>International Journal of Hydrogen Energy</i> , 40 (32), 10329-10339. DOI: 10.1016/j.ijhydene.2015.06.023
20	Yamabe, J., Awane, T. and Matsuoka, S. (2015) Investigation of hydrogen transport behavior of various low-alloy steels with high-pressure hydrogen gas, <i>International Journal of Hydrogen Energy</i> , 40 (34), 11075-11086. DOI: 10.1016/j.ijhydene.2015.07.006
19	Tu, D., Xu, C.-N., Fujio, Y. and Yoshida, A. (2015) Mechanism of mechanical quenching and mechanoluminescence in phosphorescent CaZnOS:Cu, <i>Light-Science & Applications</i> , 4, e356.

	DOI: 10.1038/lsa.2015.129.
18	Lorenzino, P., Okazaki, S., Matsunaga, H. and Murakami, Y. (2015) Effect of small defect orientation on fatigue limit of carbon steels, <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 38 (9), 1076-1086. DOI: 10.1111/ffe.12321
17	Onuki, Y. and Sugimura, J. (2015) Experimental study on reciprocation rolling-sliding contact with spin, <i>Toraibarojisuto/Journal of Japanese Society of Tribologists</i> , 60 (6), 391-398.
16	Yagi, K., Sato, H.. and Sugimura, J. (2015) On the Magnitude of Load-Carrying Capacity of Textured Surfaces in Hydrodynamic Lubrication, <i>Tribology Online</i> , 10 (3), 232-245. DOI: 10.2474/trol.10.232
15	Lorenzino, P., Buffiere, J.-Y., Okazaki, S., Matsunaga, H., Murakami, Y. and Matsunaga, H. (2015) Synchrotron 3D characterization of arrested fatigue cracks initiated from small tilted notches in steel, <i>Frattura ed Integrita Strutturale</i> , 9 (33), 215-220. DOI: 10.3221/IGF-ESIS.33.27
14	Tokunaga, Y., Sugimura, J. and Yamamoto, Y. (2015) Development and performance verification in mechanical seals with friction reduction and sealing mechanism - Experimental study, <i>Toraibarojisuto/Journal of Japanese Society of Tribologists</i> , 60 (5), 332-341. DOI: ISSN: 09151168
13	Kordolemis, A, Aravas, N. and Giannakopoulos, A.E. (2015) Pretwisted beams in axial tension and torsion: An analogy with dipolar gradient elasticity and applications to textile materials, <i>ASCE Journal of Engineering Mechanics</i> , 141 (10), 04015036-1-04015036-13. DOI: 10.1061/(ASCE)EM.1943-7889.0000917
12	Niste, V.B., Tanaka, H., Ratoi, M. and Sugimura, J. (2015) WS2 nanoadditized lubricant for applications affected by hydrogen embrittlement, <i>RSC Advances</i> , 5 (51), 40678-40687. DOI: 10.1039/c5ra03127c
11	Robertson, I.M., Sofronis, P., Nagao, A., Martin, M.L., Wang, S., Gross, D.W. and Nygren, K.E. (2015) Hydrogen embrittlement understood, <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 46 (6), 2323-2341. DOI: 10.1007/s11661-015-2836-1, 10.1007/s11663-015-0325-y
10	Dadfarnia, M., Martin, M.L., Nagao, A., Sofronis, P. and Robertson, I.M. (2015) Modeling hydrogen transport by dislocations, <i>Journal of the Mechanics and Physics of Solids</i> , 78, 511-525. DOI: 10.1016/j.jmps.2015.03.002
9	Matsunaga, H., Yoshikawa, M., Kondo, R., Yamabe, J. and Matsuoka, S. (2015) Slow strain rate tensile and fatigue properties of Cr-Mo and carbon steels in a 115MPa hydrogen gas atmosphere, <i>International Journal of Hydrogen Energy</i> , 40 (16), 5739-5748. DOI: 10.1016/j.ijhydene.2015.02.098
8	Kang, D.-S., Lee, K.-J., Kwon, E.-P., Tsuchiyama, T. and Takaki, S. (2015) Variation of work hardening rate by oxygen contents in pure titanium alloy, <i>Materials Science and Engineering A</i> , 632, 120-126. DOI: 10.1016/j.msea.2015.02.074
7	Tsukahara, H., Masumura, T., Tsuchiyama, T., Takaki, S., Nakashima, K., Hase, K. and Endo, S. (2015) Design of alloy composition in 5%Mn-Cr-C austenitic steels, <i>ISIJ International</i> , 55 (1), 312-

Division: Hydrogen Materials Compatibility

Year: 2015

	318. DOI: 10.2355/isijinternational.55.312
6	Chen, J., Tanaka, H. and Sugimura, J. (2015) Experimental study of starvation and flow behavior in grease-lubricated EHD contact, Tribology Online, 10 (1), 48-55. DOI: 10.2474/trol.10.48
5	Spyrou, L.A. and Aravas, N. (2015) Thermomechanical modeling of laser spot welded solar absorbers, Journal of Manufacturing Science and Engineering, Transactions of the ASME, 137 (1), 011016. DOI: 10.1115/1.4028197
4	Komoda, R., Kubota, M. and Furtado, J. (2015) Effect of addition of oxygen and water vapor on fretting fatigue properties of an austenitic stainless steel in hydrogen, International Journal of Hydrogen Energy, 40 (47), 16868-16877. DOI: 10.1016/j.ijhydene.2014.12.129
3	Kajita, S., Yagi, K., Izumi, T., Koyamachi, J., Tohyama, M., Saito, K. and Sugimura, J. (2015) In Situ X-Ray Diffraction Study of Phase Transformation of Steel in Scuffing Process, Tribology Letters, 57 (2), 0433, 1-11. DOI: 10.1007/s11249-014-0443-8
2	Obukuro, Y., Matsushima, S., Yamada, H., Xu, C.-N., Watanabe, S., Ogasawara, K. and Mizuno, M. (2015) Molecular orbital calculations of Eu-doped SrAl ₂ O ₄ clusters, Solid State Communications, 206, 42-45. DOI: 10.1016/j.ssc.2015.01.013
1	Sugimura, J. (2015) Understanding surface roughness in tribology, Torai-baro-jisuto/Journal of Japanese Society of Tribologists, 60 (1), 3-8. DOI: ISSN: 09151168