

No.	Description
37	Nygren, K.E., Bertsch, K.M., Wang, S., Bei, H., Nagao, A. and Robertson, I.M. (2017) Hydrogen embrittlement in compositionally complex FeNiCoCrMn FCC solid solution alloy, Current Opinion in Solid State and Materials Science, In press. DOI: 10.1016/j.cossms.2017.11.002
36	Takaki, S. and Tsuchiyama, T. (2018) Theoretical discussion of dislocation strengthening in cold rolled iron, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 104 (2), 117-120. DOI: 10.2355/tetsutohagane.TETSU-2017-053
35	Niste, V.B., Ratoi, M., Tanaka, H., Xu, F., Zhu, Y. and Sugimura, J. (2017) Self-lubricating Al-WS2 composites for efficient and greener tribological parts, Scientific Reports, 7 (1), 14665. DOI: 10.1038/s41598-017-15297-6
34	Wang, S., Nagao, A., Sofronis, P. and Robertson, I. M. (2017) Hydrogen-modified dislocation structures in a cyclically deformed ferritic-pearlitic low carbon steel, Acta Materialia, 144, 164-176. DOI: 10.1016/j.actamat.2017.10.034
33	Punrawee, W., Yamanaka, A., Matsuda, J., Mitoma, Y., Nishiyama, N. and Ishihara, T. (2018) Pt-Ce <sub>0.9</sub> Cu <sub>0.1</sub> O <sub>2</sub> /activated carbon as highly active and stable HI decomposition catalyst, International Journal of Energy Research, 42 (3), 1088-1097. DOI: 10.1002/er.3903
32	Takakuwa, O., Yamabe, J., Matsunaga, H., Furuya, Y. and Matsuoka, S. (2017) Comprehensive Understanding of Ductility Loss Mechanisms in Various Steels with External and Internal Hydrogen, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1-16. DOI: 10.1007/s11661-017-4323-3
31	Martin, M.L., Dadfarnia, M., Orwig, S., Moore, D. and Sofronis, P. (2017) A microstructure-based mechanism of cracking in high temperature hydrogen attack, Acta Materialia, 140, 300-304. DOI: 10.1016/j.actamat.2017.08.051
30	Hashimoto, S., Tsuchiyama, T. and Takaki, S. (2017) Effect of morphology of dual-phase structure on inhomogeneous plastic deformation and ductile fracture in Ti-4%Cr Alloy, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 103 (11), 636-645. DOI: 10.2355/tetsutohagane.TETSU-2017-026
29	Araki, S., Fujii, K., Akama, D., Tsuchiyama, T., Takaki, S., Ohmura, T. and Takahashi, J. (2017) Effect of low temperature aging on hall-petch coefficient in ferritic steels containing a small amount of carbon and nitrogen, Tetsu-to-Hagané, 103 (8), 491-497. DOI: 10.2355/tetsutohagane
28	Kurahashi, Y., Tanaka, H., Terayama, M. and Sugimura, J. (2017) Effects of environmental gas and trace water on the friction of DLC sliding with metals, Micromachines, 8 (7), 217. DOI: 10.3390/mi8070217
27	Akama, D., Tsuchiyama, T. and Takaki, S. (2017) Evaluation of dislocation density in cold-worked iron as measured via X-ray diffractometry, Zairyo/Journal of the Society of Materials Science, 66 (7), 522-527. DOI: 10.2472/jsms.66.522
26	Ogawa, Y., Birenis, D., Matsunaga, H., Thøgersen, A., Prytz, Ø., Takakuwa, O. and Yamabe, J. (2017) Multi-scale observation of hydrogen-induced, localized plastic deformation in fatigue-crack

	propagation in a pure iron, SCRIPTA MATERIALIA, 140, 13-17. DOI: 10.1016/j.scriptamat.2017.06.037
25	Matsunaga, H., Takakuwa, O., Yamabe, J. and Matsuoka, S. (2017) Hydrogen-enhanced fatigue crack growth in steels and its frequency dependence, Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 375 (2098), 20160412. DOI: 10.1098/rsta.2016.0412
24	Wang, S., Nagao, A., Edalati, K., Horita, Z. and Robertson, I.M. (2017) Influence of hydrogen on dislocation self-organization in Ni, Acta Materialia, 135, 96-102. DOI: 10.1016/j.actamat.2017.05.073
23	Matsuzaki, Y., Yagi, K. and Sugimura, J. (2017) In-situ fast and long observation system for friction surfaces during scuffing of steel, Wear, 386-387, 165-172. DOI: 10.1016/j.wear.2017.06.013
22	Kirchheim, R. (2017) Lattice discontinuities affecting the generation and annihilation of diffusible hydrogen and vice versa, Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 375 (2098), 20160403. DOI: 10.1098/rsta.2016.0403
21	Ogawa, Y., Yamabe, J., Matsunaga, H. and Matsuoka, S. (2017) Material performance of age-hardened beryllium-copper alloy, CDA-C17200, in a high-pressure, gaseous hydrogen environment, International Journal of Hydrogen Energy, 42 (26), 16887-16900. DOI: 10.1016/j.ijhydene.2017.04.270
20	Yoshida, A., Liu, L., Tu, D., Kainuma, S. and Xu, C.-N. (2017) Mechanoluminescent testing as an efficient inspection technique for the management of infrastructures, Journal of Disaster Research, 12 (3), 506-514. DOI: 10.20965/jdr.2017.p0506
19	Fukuda, K. and Morita, T. (2017) Physical model of adhesive wear in early stage of sliding, Wear, 376-377, 1528-1533. DOI: 10.1016/j.wear.2017.01.078
18	Tanaka, H., Niste, V.B., Abe, Y. and Sugimura, J. (2017) The Effect of Lubricant Additives on Hydrogen Permeation Under Rolling Contact, Tribology Letters, 65 (3), 94. DOI: 10.1007/s11249-017-0877-x
17	Saravanan, P., Selyanchyn, R., Tanaka, H., Fujikawa, S., Lyth, S.M. and Sugimura, J. (2017) Ultra-low friction between polymers and graphene oxide multilayers in nitrogen atmosphere, mediated by stable transfer film formation, Carbon, 122, 395-403. DOI: 10.1016/j.carbon.2017.06.090
16	Ogawa, Y., Matsunaga, H., Yamabe, J., Yoshikawa, M. and Matsuoka, S. (2017) Unified evaluation of hydrogen-induced crack growth in fatigue tests and fracture toughness tests of a carbon steel, International Journal of Fatigue, 103, 223-233. DOI: 10.1016/j.ijfatigue.2017.06.006
15	Asano, M., Masumura, T., Tsuchiyama, T., Takaki, S., Takahashi, J. and Ushioda, K. (2017) Quantitative evaluation of Cu particle dissolution in cold-worked ferritic steel, SCRIPTA MATERIALIA, 140, 18-22. DOI: 10.1016/j.scriptamat.2017.05.025
14	Nečas, D., Sawae, Y., Fujisawa, T., Nakashima, K., Morita, T., Yamaguchi, T., Vrbka, M., Křupka, I. and Hartl, M. (2017) The Influence of Proteins and Speed on Friction and Adsorption of Metal/UHMWPE Contact Pair, Biotribology, 11, 51-59. DOI: 10.1016/j.biotri.2017.03.003

13	Otani, N., Kuwabara, A., Ogawa, T., Matsuda, J., Seko, A., Tanaka, I. and Akiba, E. (2017) Theoretical investigation of solid solution states of Ti1-xVxH2, <i>Acta Materialia</i> , 134, 274-282. DOI: 10.1016/j.actamat.2017.04.073
12	Akama, D., Tsuchiyama, T. and Takaki, S. (2017) Effect of Ni on the dislocation strengthening in ferritic iron, <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 103 (5), 230-235. DOI: 10.2355/tetsutohagane.TETSU-2016-104
11	Yamabe, J., Takakuwa, O., Matsunaga, H., Itoga, H. and Matsuoka, S. (2017) Hydrogen diffusivity and tensile-ductility loss of solution-treated austenitic stainless steels with external and internal hydrogen, <i>International Journal of Hydrogen Energy</i> , 42 (18), 13289-13299. DOI: 10.1016/j.ijhydene.2017.04.055
10	Yamabe, J., Yoshikawa, M., Matsunaga, H. and Matsuoka, S. (2017) Hydrogen trapping and fatigue crack growth property of low-carbon steel in hydrogen-gas environment, <i>International Journal of Fatigue</i> , 102, 202-213. DOI: 10.1016/j.ijfatigue.2017.04.010
9	Kordolemis, A., Giannakopoulos, A.E. and Aravas, N. (2017) Pretwisted beam subjected to thermal loads: A gradient thermoelastic analogue, <i>Journal of Thermal Stresses</i> , 40 (14), 1231-1253. DOI: 10.1080/01495739.2017.1308810
8	Sano, T.G., Yamaguchi, T. and Wada, H. (2017) Slip Morphology of Elastic Strips on Frictional Rigid Substrates, <i>Physical Review Letters</i> , 118 (17), 178001. DOI: 10.1103/PhysRevLett.118.178001
7	Matsumoto, T., Kubota, M., Matsuoka, S., Ginet, P., Furtado, J. and Barbier, F. (2017) Threshold stress intensity factor for hydrogen-assisted cracking of CR-MO steel used as stationary storage buffer of a hydrogen refueling station, <i>International Journal of Hydrogen Energy</i> , 42 (11), 7422-7428. DOI: 10.1016/j.ijhydene.2016.05.124
6	Takazaki, D., Kubota, M., Komoda, R., Oku, Y., Makino, T. and Sugino, M (2017) Effect of contact pressure on fretting fatigue failure of oil-well pipe material, <i>International Journal of Fatigue</i> , 101 (Part 1), 67-74. DOI: 10.1016/j.ijfatigue.2017.03.024
5	Tu, D., Xu, C.-N., Yoshida, A., Fujihala, M., Hirotsu, J. and Zheng, X.-G. (2017) LiNbO3:Pr3+: A Multipiezo Material with Simultaneous Piezoelectricity and Sensitive Piezoluminescence, <i>Advanced Materials</i> , 29 (22), 1606914. DOI: 10.1002/adma.201606914
4	Nakada, N., Kawasaki, S., Kogakura, Y., Tsuchiyama, T. and Takaki, S. (2017) Matrix switch related to microstructural connectivity and its effect on strength in metals with duplex microstructure, <i>Materials Science and Engineering A</i> , 690, 270-276. DOI: 10.1016/j.msea.2017.03.002
3	Lawrence, S.K., Yagodzinsky, Y., Hänninen, H., Korhonen, E., Tuomisto, F., Harris, Z.D. and Somerday, B.P. (2017) Effects of grain size and deformation temperature on hydrogen-enhanced vacancy formation in Ni alloys, <i>Acta Materialia</i> , 128, 218-226. DOI: 10.1016/j.actamat.2017.02.016
2	Matsue, K., Hiwaki, T. and Yamamoto, N. (2017) On the construction of Lyapunov functions with computer assistance, <i>Journal of Computational and Applied Mathematics</i> , 319, 385-412. DOI:

Division: Hydrogen Materials Compatibility

Year: 2017

	10.1016/j.cam.2017.01.002
1	Pham, H.-C., Taniguchi, S., Inoue, Y., Matsuda, J., Chou, J.-T., Misu, Y., Matsuoka, K. and Sasaki, K. (2017) Modification of Surface Oxide Layer of Fe-Cr-Al Alloy with Coating Materials for SOFC Applications, Fuel Cells, 17 (1), 83-89. DOI: 10.1002/fuce.201600038