

No.	Description
29	Edalati, K., Ashida, M., Horita, Z., Matsui, T. and Kato, H. (2014) Wear resistance and tribological features of pure aluminum and Al–Al ₂ O ₃ composites consolidated by high-pressure torsion, <i>Wear</i> , 310 (1-2), 83-89. DOI: 10.1016/j.wear.2013.12.022
28	Aoki, M., Miwa, K., Noritake, T., Li, H.-W. and Orimo, S. (2013) Thermodynamical stability and dehydriding property of calcium borohydride Ca(BH ₄) ₂ , <i>R&D Review of Toyota CRDL</i> , 44 (4), 43-51.
27	Kim, H., Sakaki, K., Ogawa, H., Nakamura, Y., Nakamura, J., Akiba, E., Machida, A., Watanuki, T. and Proffen, T. (2013) Origin of degradation in the reversible hydrogen storage capacity of V _{1-x} Ti _x alloys from the atomic pair distribution function analysis, <i>Journal of Physical Chemistry C</i> , 117 (50), 26543-26550. DOI: 10.1021/jp408766r
26	Ikoma, Y., Ejiri, Y., Hayano, K., Saito, K., Guo, Q. and Horita, Z. (2014) Nanograin formation of GaAs by high-pressure torsion, <i>Philosophical Magazine Letters</i> , 94 (1), 1-8. DOI: 10.1080/09500839.2013.852265
25	Watanabe, K., Maruno, S., Matsuda, K., Lee, S., Horita, Z., Terada, D., Saikawa, S. and Hirose, S. (2013) Aging behavior and microstructure of aged excess Mg type Al-Mg-Si alloys after HPT processing, <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 63 (11), 406-412. DOI: 10.2464/jilm.63.406
24	Ohtsuki, T., Kotsugi, M., Ohkochi, T., Lee, S., Horita, Z. and Takanashi, K. (2013) Nanoscale characterization of FeNi alloys processed by high-pressure torsion using photoelectron emission microscope, <i>Journal of Applied Physics</i> , 114 (14), 143905. DOI: 10.1063/1.4824372
23	Edalati, K., Matsuda, J., Arita, M., Daio, T., Akiba, E. and Horita, Z. (2013) Mechanism of activation of TiFe intermetallics for hydrogen storage by severe plastic deformation using high-pressure torsion, <i>Applied Physics Letters</i> , 103 (14), 143902. DOI: 10.1063/1.4823555
22	Li, H.-W., Matsumura, D., Nishihata, Y., Akiba, E. and Orimo, S.-i. (2013) Improvement Effects of TiCl ₃ on Dehydrogenation of Magnesium Borohydride Mg(BH ₄) ₂ , <i>Journal of the Japan Institute of Metals</i> , 77 (12), 627-630.
21	Iwaoka, H. and Horita, Z. (2013) Hydrogen behavior in ultrafine-grained palladium processed by high-pressure torsion, <i>International Journal of Hydrogen Energy</i> , 38 (34), 14879-14886. DOI: 10.1016/j.ijhydene.2013.08.098
20	Guo, Y.Z., Behm, N.A., Ligda, J.P., Li, Y.L., Pan, Z., Horita, Z. and Wei, Q. (2013) Critical issues related to instrumented indentation on non-uniform materials: Application to niobium subjected to high pressure torsion, <i>Materials Science and Engineering A</i> , 586, 149-159. DOI: 10.1016/j.msea.2013.08.015
19	Ishibashi, T., Tomota, Y., Sugaya, S., Toyokawa, H., Hirade, T., Horita, Z. and Suzuki, H. (2013) Bulky Averaged Microscopic Information for ECAP-Processed Cu Using Accelerator-Based Gamma-Ray-Induced Positron Annihilation Spectroscopy and Neutron Diffraction, <i>Materials Transactions</i> , 54 (9), 1562-1569. DOI: 10.2320/matertrans.MH201310

18	Matsuda, J. and Akiba, E. (2013) Lattice defects in V-Ti BCC alloys before and after hydrogenation, <i>Journal of Alloys and Compounds</i> , 581, 369-372. DOI: 10.1016/j.jallcom.2013.07.073
17	Edalati, K., Daio, T., Ikoma, Y., Arita, M. and Horita, Z. (2013) Graphite to diamond-like carbon phase transformation by high-pressure torsion, <i>Applied Physics Letters</i> , 103 (3), 034108-. DOI: 10.1063/1.4816082
16	Edalati, K., Iwaoka, H., Toh, S., Sasaki, K. and Horita, Z. (2013) Application of high-pressure torsion to WC-Co ceramic-based composites for consolidation and improvement of microstructure and hardness, <i>Materials Transactions</i> , 54 (9), 1540-1548. DOI: 10.2320/matertrans.MH201318
15	Wang, Y. B., Liao, X. Z., Zhao, Y. H., Cooley, J. C., Horita, Z. and Zhu, Y. T. (2013) Elemental separation in nanocrystalline Cu-Al alloys, <i>Applied Physics Letters</i> , 102 (23), 231912. DOI: 10.1063/1.4811157
14	Shao, H., Matsuda, J., Li, H.-W., Akiba, E., Jain, A., Ichikawa, T. and Kojima, Y. (2013) Phase and morphology evolution study of ball milled Mg-Co hydrogen storage alloys, <i>International Journal of Hydrogen Energy</i> , 38 (17), 7070-7076. DOI: 10.1016/j.ijhydene.2013.04.026
13	Edalati, K., Toh, S., Arita, M., Watanabe, M. and Horita, Z. (2013) High-pressure torsion of pure cobalt: Hcp-fcc phase transformations and twinning during severe plastic deformation, <i>Applied Physics Letters</i> , 102 (18), 181902. DOI: 10.1063/1.4804273
12	Sakaki, K., Terashita, N., Kim, H., Proffen, T., Majzoub, E.H., Tsunokake, S., Nakamura, Y. and Akiba, E. (2013) Crystal structure and local structure of Mg _{2-x} Pr _x Ni ₄ (x = 0.6 and 1.0) deuteride using in situ neutron total scattering, <i>INORGANIC CHEMISTRY</i> , 52 (12), 7010-7019. DOI: 10.1021/ic400528u
11	Nishizaki, T., Lee, S., Horita, Z., Sasaki, T. and Kobayashi, N. (2013) Superconducting properties in bulk nanostructured niobium prepared by high-pressure torsion, <i>Physica C: Superconductivity and its Applications</i> , 493, 132-135. DOI: 10.1016/j.physc.2013.03.046
10	Alhamidi, A., Edalati, K. and Horita, Z. (2013) Production of nanograined intermetallics using high-pressure torsion, <i>Materials Research</i> , 16 (3), 672-678. DOI: 10.1590/S1516-14392013005000057
9	Horita, Z. (2013) Production of high performance materials through powder consolidation and mechanical alloying using high-pressure torsion, <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 60 (4), 167-178. DOI: 10.2497/jjspm.60.167
8	Oh-Ishi, K., Edalati, K., Kim, H.S., Hono, K. and Horita, Z. (2013) High-pressure torsion for enhanced atomic diffusion and promoting solid-state reactions in the aluminum-copper system, <i>Acta Materialia</i> , 61, 3482-3489. DOI: 10.1016/j.actamat.2013.02.042
7	Lee, S. and Horita, Z. (2013) Enhancement of Strength and Ductility of Al-Ag Alloys Processed by High-Pressure Torsion and Aging, <i>Metallurgical and Materials Transactions A</i> , 44 (7), 3221-3231. DOI: 10.1007/s11661-013-1664-4
6	Li, H.-W., Akiba, E., Orimo, S.-i. (2013) Comparative study on the reversibility of pure metal borohydrides, <i>Journal of Alloys and Compounds</i> , 580 (SUPPL 1), S292-S295. DOI: 10.1016/j.jallcom.2013.03.264

Division: Hydrogen Storage

Year: 2013

5	Shao, H., Xin, G., Li, X. and Akiba, E. (2013) Thermodynamic Property Study of Nanostructured Mg-H, Mg-Ni-H, and Mg-Cu-H Systems by High Pressure DSC Method, Journal of Nanomaterials, 2013, 281841-. DOI: 10.1155/2013/281841
4	Edalati, K., Daio, T., Horita, Z., Kishida, K. and Inui, H. (2013) Evolution of lattice defects, disordered/ordered phase transformations and mechanical properties in Ni–Al–Ti intermetallics by high-pressure torsion, Journal of Alloys and Compounds, 563, 221-228. DOI: 10.1016/j.jallcom.2013.02.128
3	Minoda, A., Oshima, S., Iki, H. and Akiba, E. (2013) Synthesis of KOH-activated porous carbon materials and study of hydrogen adsorption, Journal of Alloys and Compounds, 580 (SUPPL 1), S301-S304. DOI: 10.1016/j.jallcom.2013.02.085
2	Edalati, K., Matsuda, J., Iwaoka, H., Toh, S., Akiba, E. and Horita, Z. (2013) High-pressure torsion of TiFe intermetallics for activation of hydrogen storage at room temperature with heterogeneous nanostructure, International Journal of Hydrogen Energy, 38 (11), 4622-4627. DOI: 10.1016/j.ijhydene.2013.01.185
1	Cao, H., Zhang, Y., Wang, J., Xiong, Z., Wu, G., Qiu, J. and Chen, P. (2013) Effects of Al-based additives on the hydrogen storage performance of the Mg(NH ₂) ₂ -2LiH system, DALTON TRANSACTIONS, 42 (15), 5524-5531. DOI: 10.1039/C3DT32165G