

No.	Description
29	Isik, M., Niinomi, M., Cho, K., Nakai, M., Liu, H., Yilmazer, H., Horita, Z., Sato, S. and Narushima, T. (2016) Microstructural evolution and mechanical properties of biomedical Co-Cr-Mo alloy subjected to high-pressure torsion, <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 59, 226-235. DOI: 10.1016/j.jmbbm.2015.11.015
28	Hansen, B.R.S., Paskevicius, M., Li, H.-W., Akiba, E. and Jensen, T.R. (2016) Metal boranes: Progress and applications, <i>Coordination Chemistry Reviews</i> , 323, 60-70. DOI: 10.1016/j.ccr.2015.12.003
27	Masuda, T., Fujimitsu, K., Takizawa, Y. and Horita, Z. (2016) Achieving Superplasticity of Ultrafine-Grained Rod-Like AZ61 Alloy Using High-Pressure Sliding, <i>Journal of the Japan Institute of Metals and Materials</i> , 80 (2), 128-133. DOI: 10.2320/jinstmet.J2015046
26	He, L., Li, H.-W. and Akiba, E. (2015) Thermal decomposition of anhydrous alkali metal dodecaborates $M_2B_{12}H_{12}$ ($M = Li, Na, K$), <i>Energies</i> , 8 (11), 12429-12438. DOI: 10.3390/en81112320
25	Edalati, K. and Horita, Z. (2016) A review on high-pressure torsion (HPT) from 1935 to 1988, <i>Materials Science and Engineering A</i> , 652, 325-352. DOI: 10.1016/j.msea.2015.11.074
24	Takizawa, Y., Otsuka, K., Masuda, T., Kajita, T., Yumoto, M., Otagiri, Y. and Horita, Z. (2015) High-strain rate superplasticity of Inconel 718 through grain refinement by high-pressure torsion, <i>Materials Science and Engineering A</i> , 648, 178-182. DOI: 10.1016/j.msea.2015.09.023
23	Masuda, T., Fujimitsu, K., Takizawa, Y. and Horita, Z. (2015) Achieving superplasticity through grain refinement of A2024 alloy round bar using high-pressure sliding, <i>Keikin-zoku/Journal of Japan Institute of Light Metals</i> , 65 (8), 319-325. DOI: 10.2320/jinstmet.J2015046
22	He, L., Li, H.-W., Nakajima, H., Tumanov, N., Filinchuk, Y., Hwang, S.-J., Sharma, M., Hagemann, H. and Akiba, E. (2015) Synthesis of a Bimetallic Dodecaborate $LiNaB_{12}H_{12}$ with Outstanding Superionic Conductivity, <i>Chemistry of Materials</i> , 27 (16), 5483-5486. DOI: 10.1021/acs.chemmater.5b01568
21	Masuda, T., Fujimitsu, K., Takizawa, Y. and Horita, Z. (2015) High-pressure sliding using rod samples for grain refinement and superplasticity in Al and Mg alloys, <i>Letters on Materials</i> , 5, 258-263. DOI:
20	Edalati, K., Emami, H., Staykov, A., Smith, D.J., Akiba, E. and Horita, Z. (2015) Formation of metastable phases in magnesium-titanium system by high-pressure torsion and their hydrogen storage performance, <i>Acta Materialia</i> , 99, 150-156. DOI: 10.1016/j.actamat.2015.07.060
19	Daio, T., Li, H.-W., Gondo, T., Miyazaki, H., Ikuta, T., Nishiyama, T., Takahashi, K., Takata, Y., Lyth, S.M. and Sasaki, K. (2015) Dynamic Gas Environmental System Development for In-Situ Real-time SEM Imaging Under Atmospheric Pressure, <i>Microscopy and Microanalysis</i> , 21 (S3), 1701-1702. DOI: 10.1017/S1431927615009289
18	Ikoma, Y., Toyota, T., Ejiri, Y., Saito, K., Guo, Q. and Horita, Z. (2016) Allotropic phase transformation and photoluminescence of germanium nanograins processed by high-pressure

	torsion, Journal of Materials Science, 51 (1), 138-143. DOI: 10.1007/s10853-015-9328-y
17	Edalati, K., Arimura, M., Ikoma, Y., Daio, T., Miyata, M., Smith, D.J. and Horita, Z. (2015) Plastic Deformation of BaTiO ₃ Ceramics by High-Pressure Torsion and Changes in Phase Transformations, Changes in Optical and Dielectric Properties, Material Research Letters, 3 (4), 216-221. DOI: 10.1080/21663831.2015.1065454
16	Borchers, C., Garve, C., Tiegel, M., Deutges, M., Herz, A., Edalati, K., Pippan, R., Horita, Z. and Kirchheim, R. (2015) Nanocrystalline steel obtained by mechanical alloying of iron and graphite subsequently compacted by high-pressure torsion, Acta Materialia, 97, 207-215. DOI: 10.1016/j.actamat.2015.06.049
15	Valiev, R.Z., Estrin, Y., Horita, Z., Langdon, T.G., Zehetbauer, M.J. and Zhu, Y.T. (2016) Fundamentals of Superior Properties in Bulk NanoSPD Materials, Material Research Letters, 4 (1), 1-21. DOI: 10.1080/21663831.2015.1060543
14	He, L., Li, H.-W., Tumanov, N., Filinchuk, Y. and Akiba, E. (2015) Facile synthesis of anhydrous alkaline earth metal dodecaborates MB ₁₂ H ₁₂ (M = Mg, Ca) from M(BH ₄) ₂ , Dalton Transactions, 44 (36), 15882-15887. DOI: 10.1039/c5dt02343b
13	Matsonoshita, H., Edalati, K., Furui, M. and Horita, Z. (2015) Ultrafine-Grained magnesium-lithium alloy processed by high-pressure torsion: Low-temperature superplasticity and potential for hydroforming, Materials Science and Engineering A, 640, 443-448. DOI: 10.1016/j.msea.2015.05.103
12	Ashida, M., Chen, P., Doi, H., Tsutsumi, Y., Hanawa, T. and Horita, Z. (2015) Superplasticity in the Ti-6Al-7Nb alloy processed by high-pressure torsion, Materials Science and Engineering A, 640, 449-453. DOI: 10.1016/j.msea.2015.06.020
11	Mine, Y., Haraguchi, D., Horita, Z. and Takashima, K. (2015) High-pressure torsion of metastable austenitic stainless steel at moderate temperatures, Philosophical Magazine Letters, 95 (5), 269-276. DOI: 10.1080/09500839.2015.1051602
10	Edalati, K., Furuta, T., Daio, T., Kuramoto, S. and Horita, Z. (2015) High strength and high uniform ductility in a severely-deformed iron alloy by lattice softening and multimodal-structure formation, Materials Research Letters, 3 (4), 197-202. DOI: 10.1080/21663831.2015.1050126
9	Paik, B., Li, H.-W., Wang, J. and Akiba, E. (2015) A Li-Mg-N-H composite as H ₂ storage material: A case study with Mg(NH ₂) ₂ -4LiH-LiNH ₂ , Chemical Communications, 51, 10018-10021. DOI: 10.1039/C5CC02879E
8	Hongo, T., Edalati, K., Arita, M., Matsuda, J., Akiba, E. and Horita, Z. (2015) Significance of grain boundaries and stacking faults on hydrogen storage properties of Mg ₂ Ni intermetallics processed by high-pressure torsion, Acta Materialia, 92, 46-54. DOI: 10.1016/j.actamat.2015.03.036
7	Iwaoka, H. and Horita, Z. (2015) High-pressure torsion of thick Cu and Al-Mg-Sc ring samples, Journal of Materials Science, 50 (14), 4888-4897. DOI: 10.1007/s10853-015-9033-x
6	Cubero-Sesin, J.M., Arita, M. and Horita, Z. (2015) High Strength and Electrical Conductivity of Al-Fe Alloys Produced by Synergistic Combination of High-Pressure Torsion and Aging, Advanced

Division: Hydrogen Storage

Year: 2015

	Engineering Materials, 17 (12), 1792-1803. DOI: 10.1002/adem.201500103
5	Cubero-Sesin, J.M. and Horita, Z. (2015) Age Hardening in Ultrafine-Grained Al ₂ Pct Fe Alloy Processed by High-Pressure Torsion, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 46A, 2614-2624. DOI: 10.1007/s11661-015-2876-6
4	Mohamed, I.F., Lee, S., Edalati, K., Horita, Z., Hirose, S., Matsuda, K. and Terada, D. (2015) Aging Behavior of Al 6061 Alloy Processed by High-Pressure Torsion and Subsequent Aging, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 46 (6), 2664-2673. DOI: 10.1007/s11661-015-2840-5
3	Emami, H., Edalati, K., Matsuda, J., Akiba, E. and Horita, Z. (2015) Hydrogen storage performance of TiFe after processing by ball milling, Acta Materialia, 88, 190-195. DOI: 10.1016/j.actamat.2014.12.052
2	Lee, S., Tazoe, K., Mohamed, I. F. and Horita, Z. (2015) Strengthening of AA7075 alloy by processing with high-pressure sliding (HPS) and subsequent aging, Materials Science and Engineering A, 628, 56-61. DOI: 10.1016/j.msea.2015.01.026
1	Mohamed, I.F., Yonenaga, Y., Lee, S., Edalati, K. and Horita, Z. (2015) Age hardening and thermal stability of Al-Cu alloy processed by high-pressure torsion, Materials Science and Engineering A, 627, 111-118. DOI: 10.1016/j.msea.2014.12.117