

No.	Description
106	Hong, J.-E., Ida, S. and Ishihara, T. (2014) Effects of transition metal addition on sintering and electrical conductivity of La-doped CeO <sub>2</sub> as buffer layer for doped LaGaO <sub>3</sub> electrolyte film, <i>Solid State Ionics</i> , 262, 374-377. DOI: 10.1016/j.ssi.2013.11.049
105	Pacquette, A.L., Hagiwara, H., Ishihara, T. and Gewirth, A.A. (2014) Fabrication of an oxysulfide of bismuth Bi <sub>2</sub> O <sub>2</sub> S and its photocatalytic activity in a Bi <sub>2</sub> O <sub>2</sub> S/In <sub>2</sub> O <sub>3</sub> composite, <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 277, 27-36. DOI: 10.1016/j.jphotochem.2013.12.007
104	Okuyama, Y., Ikeda, S., Sakai, T. and Matsumoto, H. (2014) Incorporation of a proton into La <sub>0.9</sub> Sr <sub>0.1</sub> (Yb <sub>1-x</sub> M <sub>x</sub> )O <sub>3-δ</sub> (M=Y, In), <i>Solid State Ionics</i> , 262, 865-869. DOI: 10.1016/j.ssi.2013.11.044
103	Harada, K., Oishi, T., Hamamoto, S. and Ishihara, T. (2014) Lattice oxygen activity in Pr- and La-Doped CeO <sub>2</sub> for low-temperature soot oxidation, <i>Journal of Physical Chemistry C</i> , 118 (1), 559-568. DOI: 10.1021/jp410996k
102	Oda, H., Yoneda, T., Sakai, T., Okuyama, Y. and Matsumoto, H. (2014) Preparation of nano-structured cathode for protonic ceramic fuel cell by bead-milling method, <i>Solid State Ionics</i> , 262, 388-391. DOI: 10.1016/j.ssi.2013.12.020
101	Li, M., Pietrowski, M.J., De Souza, R.A., Zhang, H., Reaney, I.M., Cook, S.N., Kilner, J.A. and Sinclair, D.C. (2014) A family of oxide ion conductors based on the ferroelectric perovskite Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> , <i>Nature Materials</i> , 13, 31-35. DOI: 10.1038/nmat3782
100	Ishikawa, T., Takenaka, A., Kikuchi, M., Kobayashi, M. and Takahara, A. (2013) Effective addition of organic chloride salts on atom transfer radical polymerization in fluoroalcohols, <i>Macromolecules</i> , 46 (23), 9189-9196. DOI: 10.1021/ma401857w
99	Wu, S., Aonuma, M., Zhang, Q., Huang, S., Nakagawa, T., Kuwabara, K. and Adachi, C. (2014) High-efficiency deep-blue organic light-emitting diodes based on a thermally activated delayed fluorescence emitter, <i>Journal of Materials Chemistry C</i> , 2 (3), 421-424. DOI: 10.1039/c3tc31936a
98	Ishihara, T. and Sakai, T. (2013) Intermediate Temperature Steam Electrolysis as a Highly Efficient Hydrogen Production Method, <i>Journal of the Japan Institute of Energy</i> , 92 (11), 1059-1064.
97	Suneesh, C. V., Balan, B., Ozawa, H., Nakamura, Y., Katayama, T., Muramatsu, M., Nagasawa, Y., Miyasaka, H. and Sakai, K. (2014) Mechanistic studies of photoinduced intramolecular and intermolecular electron transfer processes in RuPt-centred photo-hydrogen-evolving molecular devices, <i>Physical Chemistry Chemical Physics</i> , 16 (4), 1607-1616. DOI: 10.1039/C3CP54630F
96	Akiyama, T., Yamamoto, T., Oku, T., Yahiro, M., Kurihara, T., Adachi, C. and Yamada, S. (2013) Mixing Effect of Gold and Silver Nanoparticles on Enhancement in Performance of Organic Thin-Film Solar Cells, <i>Japanese Journal of Applied Physics</i> , 52, 122301-. DOI: 10.7567/JJAP.52.122301
95	Kim, J.Y., Yasuda, T., Yang, Y.S., Matsumoto, N. and Adachi, C. (2014) Polymorphism in 9,9-

	diaryluorene-based organic semiconductors: influence on optoelectronic functions, <i>Chemical Communications</i> , 50 (13), 1523-1526. DOI: 10.1039/c3cc48566h
94	Wu, H., Watanabe, H., Ma, W., Fujimoto, A., Higuchi, T., Uesugi, K., Takeuchi, A., Suzuki, Y., Jinnai, H. and Takahara, A. (2013) Robust liquid marbles stabilized with surface-modified halloysite nanotubes, <i>Langmuir</i> , 29 (48), 14971-14975. DOI: 10.1021/la4041858
93	Mieno, H., Yasuda, T., Yang, Y.-S. and Adachi, C. (2014) Self-Assembly, Physicochemical, and Field-Effect Transistor properties of Solution-Crystallized Organic Semiconductors Based on pi-Extended Dithieno[3,2-b:2',3'-d]thiophenes, <i>Chemistry Letters</i> , 43 (3), 293-295. DOI: 10.1246/cl.130914
92	Thapa, A. K., Pandit, B., Thapa, R., Luitel, T., Paudel, H. S., Sumanasekera, G., Sunkara, M. K., Gunawardhana, N., Ishihara, T. and Yoshio, M. (2014) Synthesis of mesoporous birnessite-MnO <sub>2</sub> composite as a cathode electrode for lithium battery, <i>Electrochimica Acta</i> , 116, 188-193. DOI: 10.1016/j.electacta.2013.11.032
91	Inoishi, A., Sakai, T., Ju, Y.-W., Ida, S. and Ishihara, T. (2013) A rechargeable Si-air solid state oxygen shuttle battery incorporating an oxide ion conductor, <i>Journal of Materials Chemistry A</i> , 1 (48), 15212-15215. DOI: 10.1039/c3ta14023g
90	Guo, L., Hagiwara, H., Ida, S., Daio, T. and Ishihara, T. (2013) One-pot soft-templating method to synthesize crystalline mesoporous tantalum oxide and its photocatalytic activity for overall water splitting, <i>ACS Applied Materials and Interfaces</i> , 5 (21), 11080-11086. DOI: 10.1021/am4032778
89	Druce, J., Ishihara, T. and Kilner, J. (2014) Surface composition of perovskite-type materials studied by Low Energy Ion Scattering (LEIS), <i>Solid State Ionics</i> , 262, 893-896. DOI: 10.1016/j.ssi.2013.09.010
88	Nasu, K., Nakagawa, T., Nomura, H., Lin, C.-J., Cheng, C.-H., Tseng, M.-R., Yasuda, T. and Adachi C. (2013) A highly luminescent spiro-anthracenone-based organic light-emitting diode exhibiting thermally activated delayed fluorescence, <i>Chemical Communications</i> , 49, 10385-10387. DOI: 10.1039/C3CC44179B
87	Nishimoto, T., Yasuda, T., Lee, S.Y., Kondo R. and Adachi C. (2013) A six-carbazole-decorated cyclophosphazene as a host with high triplet energy to realize efficient delayed fluorescence OLEDs, <i>Materials Horizons</i> , 1, 264-269. DOI: 10.1039/C3MH00079F
86	Ishimatsu, R., Naruse, A., Liu, R., Nakano, K., Yahiro, M., Adachi, C. and Imato, T. (2013) An organic thin film photodiode as a portable photodetector for the detection of alkylphenol polyethoxylates by a flow fluorescence-immunoassay on magnetic microbeads in a microchannel, <i>Talanta</i> , 117, 139-145. DOI: 10.1016/j.talanta.2013.08.044
85	Hagiwara, H., Nagatomo, M., Seto, C., Ida, S. and Ishihara, T. (2013) Dye-modification effects on water splitting activity of GaN: ZnO photocatalyst, <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 272, 41-48. DOI: 10.1016/j.jphotochem.2013.08.022
84	Hoshino, T., Murakami, D., Tanaka, Y., Takata, M., Jinnai, H. and Takahara, A. (2013) Dynamical crossover between hyperdiffusion and subdiffusion of polymer-grafted nanoparticles

	in a polymer matrix, <i>Physical Review E</i> , 88 (3), 32602. DOI: 10.1103/PhysRevE.88.032602
83	Apgar, B.A., Lee, S., Schroeder, L.E. and Martin, L.W. (2013) Enhanced Photoelectrochemical Activity in All-Oxide Heterojunction Devices Based on Correlated "Metallic" Oxides, <i>Advanced Materials</i> , 25 (43), 6201-6206. DOI: 10.1002/adma.201303144
82	Tao, G., Zhang, L., Hua, Z., Chen, Y., Guo, L., Zhang, J., Shu, Z., Gao, J., Chen, H., Wu, W., Liu, Z. and Shi J. (2014) Highly efficient adsorbents based on hierarchically macro/mesoporous carbon monoliths with strong hydrophobicity, <i>Carbon</i> , 66, 547-559. DOI: 10.1016/j.carbon.2013.09.037
81	Whang, D. R., Sakai, K. and Park, S. Y. (2013) Highly Efficient Photocatalytic Water Reduction with Robust Iridium(III) Photosensitizers Containing Arylsilyl Substituents, <i>Angewandte Chemie International Edition</i> , 52 (44), 11612-11615. DOI: 10.1002/anie.201305684
80	Xie, J., Ju, Y.-W. and Ishihara, T. (2013) Influence of sulfur impurities on the stability of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_3$ cathode for solid oxide fuel cells, <i>Solid State Ionics</i> , 249-250, 177-183. DOI: 10.1016/j.ssi.2013.08.005
79	Ogata, Y., Kawaguchi, D., Yamada, N. L. and Tanaka, K. (2013) Multistep Thickening of Nafion Thin Films in Water, <i>ACS Macro Letters</i> , 2 (10), 856-859. DOI: 10.1021/mz400322q
78	Wang, S., Inoishi, A., Hong, J.-E., Ju, Y.-W., Hagiwara, H., Ida, S. and Ishihara, T. (2013) Ni-Fe bimetallic cathodes for intermediate temperature $\text{CO}_2$ electrolyzers using a $\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_3$ electrolyte, <i>Journal of Materials Chemistry A</i> , 1 (40), 12455-12461. DOI: 10.1039/c3ta11863k
77	Fujimoto, H., Miyayama, T., Sanada, N. and Adachi, C. (2013) Plasma-tolerant structure for organic light-emitting diodes with aluminum cathodes fabricated by DC magnetron sputtering: Using a Li-doped electron transport layer, <i>Organic Electronics: physics, materials, applications</i> , 14 (11), 2994-2999. DOI: 10.1016/j.orgel.2013.08.020
76	Ida, S., Takashiba, A. and Ishihara, T. (2013) Self-Ordering of Disorderly Arranged 2D Crystal Layers to 3D Regular Arrangement Using a Heat-Induced Chemical Reaction between 2D Crystal Layers, <i>Journal of Physical Chemistry C</i> , 117 (44), 23357-23363. DOI: 10.1021/jp40755091
75	Tanaka, H., Shizu, K., Nakanotani, H. and Adachi, C. (2013) Twisted Intramolecular Charge Transfer State for Long-Wavelength Thermally Activated Delayed Fluorescence, <i>Chemistry of Materials</i> , 25 (18), 3766-3771. DOI: 10.1021/cm402428a
74	Zhang, L., Nakanotani, H. and Adachi, C. (2013) Capacitance-voltage characteristics of a 4,4'-bis[(N-carbazole) styryl]biphenyl based organic light-emitting diode: Implications for characteristic times and their distribution, <i>Applied Physics Letters</i> , 103 (9), 093301. DOI: 10.1063/1.4819436
73	Shimomura, S., Matsuno, H. and Tanaka, K. (2013) Effect of Mechanical Instability of Polymer Scaffolds on Cell Adhesion, <i>Langmuir</i> , 29 (35), 11087-11092. DOI: 10.1021/la4027706
72	Serevičius, T., Nakagawa, T., Kuo, M.-C., Cheng, S.-H., Wong, K.-T., Chang, C.-H., Kwong, R.C., Xia, S. and Adachi, C. (2013) Enhanced electroluminescence based on thermally

	activated delayed fluorescence from a carbazole–triazine derivative, <i>Physical Chemistry Chemical Physics</i> , 15 (38), 15850-15855. DOI: 10.1039/c3cp52255e
71	Tsugita, K., Edura, T., Yahiro, M., Adachi, C. (2013) Formation of high-purity organic thin films by gas flow deposition and the effect of impurities on device characteristics, <i>Displays</i> , 34 (5), 418-422. DOI: 10.1016/j.displa.2013.08.008
70	Higuchi, T., Sugimori, H., Jiang, X., Hong, S., Matsunaga, K., Kaneko, T., Abetz, V., Takahara, A. and Jinnai, H. (2013) Morphological Control of Helical Structures of an ABC-Type Triblock Terpolymer by Distribution Control of a Blending Homopolymer in a Block Copolymer Microdomain, <i>Macromolecules</i> , 46 (17), 6991-6997. DOI: 10.1021/ma401193u
69	Koishikawa, Y., Miyazaki, H., Yahiro, M. and Adachi, C. (2013) Multi-layered organic light-emitting diode fabrication using low molecular weight materials by electrospray method, <i>Thin Solid Films</i> , 545 (), 527-532. DOI: 10.1016/j.tsf.2013.07.083
68	Masui, K., Nakanotani, H., Adachi, C. (2013) Analysis of exciton annihilation in high-efficiency sky-blue organic light-emitting diodes with thermally activated delayed fluorescence, <i>Organic Electronics: physics, materials, applications</i> , 14 (11), 2721-2726. DOI: 10.1016/j.orgel.2013.07.010
67	Hagiwara, H., Nagatomo, M., Seto, C., Ida, S., and Ishihara, T. (2013) Dye Modification Effects on TaON for Photocatalytic Hydrogen Production from Water, <i>Catalysts</i> , 3 (3), 614-624. DOI: 10.3390/catal3030614
66	Chen, K., Hyodo, J., Zhao, L., Ai, N., Ishihara, T. and Jianga, S.P. (2013) Effect of Volatile Boron Species on the Microstructure and Composition of (La,Sr)MnO <sub>3</sub> and (La,Sr)(Co,Fe)O <sub>3</sub> Cathode Materials of Solid Oxide Fuel Cells, <i>Journal of the Electrochemical Society</i> , 160 (9), F1033-1039. DOI: 10.1149/2.090309jes
65	Linh, T.P.T., Sakaue, M., Alaydrus, M., Wungu, T.D.K., Aspera, S.M., Kasai, H., Mohri, T. and Ishihara, T. (2013) Electronic and Oxygen Migration Properties of Monoclinic La <sub>2</sub> GeO <sub>5-δ</sub> , <i>Journal of the Physical Society of Japan</i> , 82 (8), 084702/1-084702/4. DOI: 10.7566/JPSJ.82.084702
64	Chen, Y.-C., Yashima, M., Peña-Martínez, J. and Kilner, J.A. (2013) Experimental visualization of the diffusional pathway of oxide ions in a layered perovskite-type cobaltite PrBaCo <sub>2</sub> O <sub>5+δ</sub> , <i>Chemistry of Materials</i> , 25 (13), 2638-2641. DOI: 10.1021/cm4010618
63	Yang, Y.S., Yasuda, T., Kakizoe, H., Mieno, H., Kino, H., Tateyama, Y. and Adachi, C. (2013) High performance organic field-effect transistors based on single-crystal microribbons and microsheets of solution-processed dithieno[3,2-b:2' , 3' -d]thiophene derivatives, <i>Chemical Communications</i> , 49 (58), 6483-6485. DOI: 10.1039/C3CC42114G
62	Higaki, Y., Ma, W., Kobayashi, M. and Takahara, A. (2013) Nature-inspired low adhesive antifouling surfaces, <i>Kobunshi Ronbunshu</i> , 70 (7), 301-308. DOI: 10.1295/koron.70.301
61	Shundo, A., Hori, K., Penaloza, D.P., Yoshihiro, K., Annaka, M. and Tanaka, K. (2013) Nonsolvents-induced swelling of poly(methyl methacrylate) nanoparticles, <i>Physical Chemistry Chemical Physics</i> , 15 (39), 16574-16578. DOI: 10.1039/c3cp52673a

60	Nakanotani, H., Masui, K., Nishide, J., Shibata, T. and Adachi, C. (2013) Promising operational stability of high-efficiency organic light-emitting diodes based on thermally activated delayed fluorescence, <i>Scientific Reports</i> , 3, 2127. DOI: 10.1038/srep02127
59	Komino, T., Nomura, H., Koyanagi, T. and Adachi, C. (2013) Suppression of efficiency roll-off characteristics in thermally activated delayed fluorescence based organic light-emitting diodes using randomly oriented host molecules, <i>Chemistry of Materials</i> , 25 (15), 3038-3047. DOI: 10.1021/cm4011597
58	Staykov, A. and Tzenov, P. (2013) Current rectification in mono-and bilayer nanographenes with different edges, <i>Journal of Physical Chemistry C</i> , 117 (26), 13644-13653. DOI: 10.1021/jp402187a
57	Shundo, A., Hori, K., Ikeda, T., Kimizuka, N. and Tanaka, K. (2013) Design of a Dynamic Polymer Interface for Chiral Discrimination, <i>JOURNAL OF THE AMERICAN CHEMICAL SOCIETY</i> , 135 (28), 10282-10285. DOI: 10.1021/ja404701s
56	Komino, T., Kuwabara, H., Ikeda, M., Yahiro, M., Takimiya, K. and Adachi, C. (2013) Droplet manipulation by an external electric field for crystalline film growth, <i>Langmuir</i> , 29 (30), 9592-9597. DOI: 10.1021/la401729k
55	Sato, K., Shizu, K., Yoshimura, K., Kawada, A., Miyazaki, H. and Adachi, C. (2013) Organic luminescent molecule with energetically equivalent singlet and triplet excited states for organic light-emitting diodes, <i>Physical Review Letters</i> , 110 (24), 247401. DOI: 10.1103/PhysRevLett.110.247401
54	Shin, W., Yasuda, T., Watanabe, G., Yang, Y.S. and Adachi, C. (2013) Self-organizing mesomorphic diketopyrrolopyrrole derivatives for efficient solution-processed organic solar cells, <i>Chemistry of Materials</i> , 25 (12), 2549-2556. DOI: 10.1021/cm401244x
53	Ishimatsu, R., Matsunami, S., Shizu, K., Adachi, C., Nakano, K. and Imato, T. (2013) Solvent effect on thermally activated delayed fluorescence by 1,2,3,5-tetrakis(carbazol-9-yl)-4,6-dicyanobenzene, <i>Journal of Physical Chemistry A</i> , 117 (27), 5607-5612. DOI: 10.1021/jp404120s
52	Alaydrus, M., Sakaue, M., Aspera, S.M., Wungu, T.D.K., Linh, T.P.T., Kasai, H., Ishihara, T. and Mohri, T. (2013) A first-principles study on defect association and oxygen ion migration of Sm <sup>3+</sup> and Gd <sup>3+</sup> co-doped ceria, <i>Journal of Physics Condensed Matter</i> , 25 (22), 225401-1-8. DOI: 10.1088/0953-8984/25/22/225401
51	Horinouchi, A. and Tanaka, K. (2013) An effect of stereoregularity on the structure of poly(methyl methacrylate) at air and water interfaces, <i>RSC Advances</i> , 3 (24), 9446-9452. DOI: 10.1039/c3ra40631h
50	Ida, S., Okamoto, Y., Koga, S., Hagiwara, H. and Ishihara, T. (2013) Black-colored nitrogen-doped calcium niobium oxide nanosheets and their photocatalytic properties under visible light irradiation, <i>RSC Advances</i> , 3 (29), 11521-11524. DOI: 10.1039/c3ra40638e
49	Marrocchelli, D., Bishop, S.R. and Kilner, J. (2013) Chemical expansion and its dependence on the host cation radius, <i>Journal of Materials Chemistry A</i> , 1 (26), 7673-7680. DOI:

	10.1039/c3ta11020f
48	Nakazono, T., Parent, A.R. and Sakai, K. (2013) Cobalt porphyrins as homogeneous catalysts for water oxidation, <i>Chemical Communications</i> , 49 (57), 6325-6327. DOI: 10.1039/C3CC43031F
47	Ishihara, T., Shigeta, K., Ooishi, Y., Matsuka, M., Hagiwara, H. and Ida, S. (2013) Effects of fluorinated hydrocarbon addition on H <sub>2</sub> O <sub>2</sub> direct synthesis from H <sub>2</sub> and air over an Au-Pd bimetallic catalyst supported on rutile-TiO <sub>2</sub> , <i>Catalysis Science and Technology</i> , 3 (11), 2971-2975. DOI: 10.1039/c3cy00273j
46	Togashi, K., Sagara, Y., Yasuda, T. and Adachi, C. (2013) Molecular design of high-molecular-orientation electron-transport materials and application to organic light-emitting diodes, <i>Chemistry Letters</i> , 42 (6), 651-653. DOI: 10.1246/cl.130150
45	Lee, J., Shizu, K., Tanaka, H., Nomura, H., Yasuda, T. and Adachi, C. (2013) Oxadiazole- and triazole-based highly-efficient thermally activated delayed fluorescence emitters for organic light-emitting diodes, <i>Journal of Materials Chemistry C</i> , 1, 4599-4604. DOI: 10.1039/C3TC30699B
44	Ju, Y.-W., Ida, S. and Ishihara, T. (2013) A Ce(Mn,Fe)O <sub>2</sub> dense nanofilm as an improved active anode for metal-supported solid oxide fuel cells, <i>RSC Advances</i> , 3 (26), 10508-10515. DOI: 10.1039/C3RA40257F
43	Watanabe, M., Chen, K.-Y., Chang, Y.J. and Chow, T.J. (2013) Acenes generated from precursors and their semiconducting properties, <i>Accounts of Chemical Research</i> , 46 (7), 1606-1615. DOI: 10.1021/ar400002y
42	Nakanotani, H. and Adachi, C. (2013) Amplified Spontaneous Emission and Electroluminescence from Thiophene/Phenylene Co-Oligomer-Doped p-bis(p-Styrylstyryl)Benzene Crystals, <i>ADVANCED OPTICAL MATERIALS</i> , 1 (6), 422-427. DOI: 10.1002/adom.201200066
41	Zapata, J., Burriel, M., García, P., Kilner, J. A. and Santiso, J. (2013) Anisotropic <sup>18</sup> O tracer diffusion in epitaxial films of GdBaCo <sub>2</sub> O <sub>5+d</sub> cathode material with different orientations, <i>Journal of Materials Chemistry A</i> , 1 (25), 7408-7414. DOI: 10.1039/c3ta10749c
40	Ishikawa, T., Kikuchi, M., Kobayashi, M., Ohta, N., and Takahara, A. (2013) Chain Conformation of Poly[2-(methacryloyloxy)ethyltrimethylammonium chloride] in Aqueous Sodium Chloride Solutions, <i>Macromolecules</i> , 46 (10), 4081-4088. DOI: 10.1021/ma4001868
39	Kobayashi, M., Terayama, Y., Kikuchi, M., Takahara, A. (2013) Chain dimensions and surface characterization of superhydrophilic polymer brushes with zwitterion side groups, <i>SOFT MATTER</i> , 9 (21), 5166-5172. DOI: 10.1039/c3sm27700c
38	Wu, H., Cao, Y., Ishige, R., Higaki, Y., Hoshino, T., Ohta, N. and Takahara, A. (2013) Confinement-Induced Crystal Growth in One-Dimensional Isotactic Polystyrene Nanorod Arrays, <i>ACS Macro Letters</i> , 2 (5), 414-418. DOI: 10.1021/mz400136d
37	Hanisch, A., Gröschel, A.H., Förtsch, M., Drechsler, M., Jinnai, H., Ruhland, T.M., Schacher, F.H. and Müller, A.H.E. (2013) Counterion-mediated hierarchical self-assembly of an ABC

	miktoarm star terpolymer, ACS Nano, 7 (5), 4030-4041. DOI: 10.1021/nn400031u
36	Zhao, L., Hyodo, J., Chen, K., Ai, N., Amarasinghe, S., Ishihara, T. and Jiang, S.P. (2013) Effect of Boron Deposition and Poisoning on the Surface Exchange Properties of LSCF Electrode Materials of Solid Oxide Fuel Cells, Journal of The Electrochemical Society, 160 (6), F682-F686. DOI: 10.1149/2.131306jes
35	Sakai, T., Isa, K., Matsuka, M., Kozai, T., Okuyama, Y., Ishihara, T. and Matsumoto, H. (2013) Electrochemical hydrogen pumps using Ba doped LaYbO <sub>3</sub> type proton conducting electrolyte, International Journal of Hydrogen Energy, 38 (16), 6842-6847. DOI: 10.1016/j.ijhydene.2013.03.050
34	Zheng, Y.-Q., Potscavage Jr., W.J., Komino, T. and Adachi, C. (2013) Highly efficient bulk heterojunction photovoltaic cell based on tris[4-(5-phenylthiophen-2-yl)phenyl]amine and C <sub>70</sub> combined with optimized electron transport layer, Applied Physics Letters, 102 (15), 153302-. DOI: 10.1063/1.4801954
33	Zheng, Y.-Q., Potscavage, W.J., Komino, T., Hirade, M., Adachi, J. and Adachi, C. (2013) Highly efficient bulk heterojunction photovoltaic cells based on C <sub>70</sub> and tetraphenyldibenzoperiflanthene, Applied Physics Letters, 102, 143304. DOI: 10.1063/1.4801647
32	Li, J., Nakagawa, T., Macdonald, J., Zhang, Q., Nomura, H., Miyazaki, H. and Adachi, C. (2013) Highly Efficient Organic Light-Emitting Diode Based on a Hidden Thermally Activated Delayed Fluorescence Channel in a Heptazine Derivative, Advanced Materials, 25 (24), 3319-3323. DOI: 10.1002/adma.201300575
31	Xie, J., Ju, Y.-W., Sakai, T. and Ishihara, T. (2013) Improvement in stability of La <sub>0.4</sub> Ba <sub>0.6</sub> CoO <sub>3</sub> cathode by combination with La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3</sub> for intermediate temperature-solid oxide fuel cells, Journal of Solid State Electrochemistry, 17 (8), 2251-2258. DOI: 10.1007/s10008-013-2087-2
30	Inoishi, A., Ju, Y.-W., Ida, S. and Ishihara, T. (2013) Mg-air oxygen shuttle batteries using a ZrO <sub>2</sub> -based oxide ion-conducting electrolyte, Chemical Communications, 49 (41), 4691-4693. DOI: 10.1039/c3cc40880a
29	Oniki, Y., Suzuki, K., Higaki, Y., Ishige, R., Ohta, N. and Takahara, A. (2013) Molecular design of environmentally benign segmented polyurethane(urea)s: Effect of the hard segment component on the molecular aggregation states and biodegradation behavior, Polymer Chemistry, 4 (13), 3735-3743. DOI: 10.1039/c3py00172e
28	Inoue, M., Goushi, K., Endo, K., Nomura, H. and Adachi, C. (2013) Reduced amplified spontaneous emission threshold in organic semiconductor laser structure with relaxed roll-off characteristics under high current densities, Journal of Luminescence, 143, 754-758. DOI: 10.1016/j.jlumin.2013.04.001
27	Penaloza Jr., D.P., Shundo, A., Matsumoto, K., Ohno, M., Miyaji, K., Goto, M. and Tanaka, K. (2013) Spatial heterogeneity in the sol-gel transition of a supramolecular system, SOFT MATTER, 9 (21), 5166-5172. DOI: 10.1039/c3sm50225b

26	Lee, S., Apgar, B. A. and Martin, L. W. (2013) Strong Visible-Light Absorption and Hot-Carrier Injection in TiO <sub>2</sub> /SrRuO <sub>3</sub> Heterostructures, <i>Advanced Energy Materials</i> , 3 (8), 1084-1090. DOI: 10.1002/aenm.201201116
25	Watanabe, N., Inoishi, A., Ooe, T., Kawakami, A., Shigefuji, H. and Ishihara, T. (2013) Effects of fuel velocity in anode channel on power generation property of tubular solid oxide fuel cells using LaGaO <sub>3</sub> electrolyte film, <i>Electrochimica Acta</i> , 97, 86-91. DOI: 10.1016/j.electacta.2013.02.137
24	Inoishi, A., Okamoto, Y., Ju, Y.-W., Ida, S. and Ishihara, T. (2013) Oxidation rate of Fe and electrochemical performance of Fe–air solid oxide rechargeable battery using LaGaO <sub>3</sub> based oxide ion conductor, <i>RSC Advances</i> , 3 (23), 8820-8825. DOI: 10.1039/c3ra23337e
23	Yabu, H., Kanahara, M., Shimomura, M., Arita, T., Harano, K., Nakamura, E., Higuchi, T. and Jinnai, H. (2013) Polymer Janus particles containing block-copolymer stabilized magnetic nanoparticles, <i>ACS Applied Materials and Interfaces</i> , 5 (8), 3262-3266. DOI: 10.1021/am4003149
22	Matsukuma, D., Watanabe, H., Minn, M., Fujimoto, A., Shinohara, T., Jinnai, H. and Takahara, A. (2013) Preparation of poly(lactic-acid)-particle stabilized liquid marble and the improvement of its stability by uniform shell formation through solvent vapor exposure, <i>RSC Advances</i> , 3 (21), 7862-7866. DOI: 10.1039/c3ra40693h
21	Guo, L., Arafune, H. and Teramae, N. (2013) Synthesis of mesoporous metal oxide by the thermal decomposition of oxalate precursor, <i>Langmuir</i> , 29 (13), 4404-4412. DOI: 10.1021/la400323f
20	Togashi, K., Yasuda, T. and Adachi, C. (2013) Triphenylene-based host materials for low-voltage, highly efficient red phosphorescent organic light-emitting diodes, <i>Chemistry Letters</i> , 42 (4), 383-385. DOI: 10.1246/cl.121247
19	Hirai, T., Haraguchi, M., Sakai, A., Penalzoza Jr., D.P., Ozawa, M., Miyaji, K. and Tanaka, K. (2013) Water-sliding Property of Polyacrylates with Different Fluoro Side Chains, <i>Chemistry Letters</i> , 42 (5), 483-485. DOI: 10.1246/cl.130012
18	Wada, A., Yasuda, T., Zhang, Q., Yang, Y.S., Takasu, I., Enomoto, S. and Adachi, C. (2013) A host material consisting of a phosphinic amide directly linked donor–acceptor structure for efficient blue phosphorescent organic light-emitting diodes, <i>Journal of Materials Chemistry C</i> , 1 (13), 2404-2407. DOI: 10.1039/c3tc00939d
17	Kim, J.Y., Yasuda, T., Yang, Y.S. and Adachi, C. (2013) Bifunctional star-burst amorphous molecular materials for OLEDs: Achieving highly efficient solid-state luminescence and carrier transport induced by spontaneous molecular orientation, <i>Advanced Materials</i> , 25 (19), 2666-2671. DOI: 10.1002/adma.201204902
16	Hong, J.-E., Ida, S. and Ishihara, T. (2013) Ce(Mn,Fe)O <sub>2</sub> as An Effective Interlayer for Intermediate Temperature SOFCs Using Doped LaGaO <sub>3</sub> Films Prepared by Screen Printing Method, <i>Journal of The Electrochemical Society</i> , 160 (4), F375-F380. DOI: 10.1149/2.056304jes



15	Rahman, A.K.M.L., Indo, R., Hagiwara, H. and Ishihara, T. (2013) Direct conversion of ethane to acetic acid over H-ZSM-5 using H <sub>2</sub> O <sub>2</sub> in aqueous phase, <i>Applied Catalysis A: General</i> , 456, 82-87. DOI: 10.1016/j.apcata.2013.02.009
14	Yamaguchi, H., Gin, P., Arita, H., Kobayashi, M., Bennett, S., Satija, S.K., Asada, M., Koga, T. and Takahara, A. (2013) Effect of supercritical carbon dioxide on molecular aggregation states of side chains of semicrystalline poly{2-(perfluorooctyl)ethyl acrylate} brush thin films, <i>RSC Advances</i> , 3 (14), 4778-4785. DOI: 10.1039/C3RA22692A
13	Hirade, M., Yasuda, T. and Adachi, C. (2013) Effects of intramolecular donor-acceptor interactions on bimolecular recombination in small-molecule organic photovoltaic cells, <i>Journal of Physical Chemistry C</i> , 117 (10), 4986-4991. DOI: 10.1021/jp400386q
12	Kobayashi, M. and Takahara, A. (2013) Environmentally friendly repeatable adhesion using a sulfobetaine-type polyzwitterion brush, <i>Polymer Chemistry</i> , 4 (18), 4987-4992. DOI: 10.1039/c3py00146f
11	Okuyama, Y., Kozai, T., Sakai, T., Matsuka, M. and Matsumoto, H. (2013) Proton transport properties of La <sub>0.9</sub> M <sub>0.1</sub> YbO <sub>3-δ</sub> (M=Ba, Sr, Ca, Mg), <i>Electrochimica Acta</i> , 95, 54-59. DOI: 10.1016/j.electacta.2013.01.156
10	Komino, T., Nomura, H., Yahiro, M. and Adachi, C. (2013) Reorganization of the molecular orientation at the organic/substrate interface in spirofluorene thin films, <i>Chemical Physics Letters</i> , 563, 70-75. DOI: 10.1016/j.cplett.2013.01.056
9	Jing, H., Higaki, Y., Ma, W., Wu, H., Yah, W.O., Otsuka, H., Lvov, Y.M. and Takahara, A. (2013) Internally Modified Halloysite Nanotubes as Inorganic Nanocontainers for a Flame Retardant, <i>Chemistry Letters</i> , 42 (2), 121-123. DOI: 10.1246/cl.2013.121
8	Jang, I.C., Hidaka, Y. and Ishihara, T. (2013) Li metal utilization in lithium air rechargeable batteries, <i>Journal of Power Sources</i> , 244, 606-609. DOI: 10.1016/j.jpowsour.2013.01.049
7	Nishida, J., Kobayashi, M. and Takahara, A. (2013) Light-triggered adhesion of water-soluble polymers with a caged catechol group, <i>ACS Macro Letters</i> , 2 (2), 112-115. DOI: 10.1021/mz300524q
6	Shundo, A., Penaloza Jr., D.P. and Tanaka, K. (2013) Microscopic heterogeneity in viscoelastic properties of molecular assembled systems, <i>Chinese Journal of Polymer Science</i> , 31 (1), 1-11. DOI: 10.1007/s10118-013-1193-Z
5	Norizoe, Y., Jinnai, H. and Takahara, A. (2013) Molecular simulation of 2-dimensional microphase separation of single-component homopolymers grafted onto a planar substrate, <i>EPL, A Letters Journal Exploring The Frontiers of Physics</i> , 101 (1), 16006. DOI: 10.1209/0295-5075/101/16006
4	Shundo, A., Hori, K., Penaloza Jr., D.P. and Tanaka, K. (2013) Optical tweezers with fluorescence detection for temperature-dependent microrheological measurements, <i>Review of Scientific Instruments</i> , 84 (1), 014103. DOI: 10.1063/1.4789429
3	Ida, S., Okamoto, Y., Hagiwara, H. and Ishihara, T. (2013) Preparation and Photocatalytic Properties of Sr <sub>2-x</sub> Ba <sub>x</sub> Ta <sub>3</sub> O <sub>10-y</sub> N <sub>z</sub> Nanosheets, <i>Catalysts</i> , 3, 1-10. DOI: 10.3390/catal3010001

Division: Molecular Photoconversion Division

Year: 2013

2	Murakami, D., Kobayashi, M., Moriwaki, T., Ikemoto, Y., Jinnai, H. and Takahara, A. (2013) Spreading and Structuring of Water on Superhydrophilic Polyelectrolyte Brush Surfaces, <i>Langmuir</i> , 29 (4), 1148-1151. DOI: 10.1021/la304697q
1	Atarashi, H., Hirai, T., Hori, K., Hino, M., Morita, H., Serizawa, T. and Tanaka, K. (2013) Uptake of water in as-spun poly(methyl methacrylate) thin films, <i>RSC Advances</i> , 3 (11), 3516-3519. DOI: 10.1039/C3RA23066J